

YOUR INNOVATIVE
ELECTRICAL SOLUTION.

Stafford™ Series



STU
DIO

BY DEKKO

Distinguished Structure

QUALITY CRAFTSMANSHIP

Embedded into conference tables, the Stafford's quality craftsmanship is dazzling —and peerless in its ability to deliver the aesthetic flair and technology performance demanded in executive environments. The continuous-cast bezel offers a consistent, clean contact with the table surface, presenting trim lines, smooth and seamless to the touch.



STAFFORD™ SERIES PROVIDES:

Superior Capabilities

The Stafford Series' sleek form elicits impressions of refinement, confidence and gravitas, while imparting a hint of the superior capability and function housed below the surface. As trustworthy power and data solutions for boardrooms, executive offices and conference rooms, the Stafford™ and Stafford Mini™ own a reputation as impressive as their alluring style.

Encased in the Stafford Series' distinguished satin-silver structures are multiple power outlets, smart charging USB ports, and Extron "Mini" MAAP blank plates for customized additions and configurations. The Stafford and Stafford Mini each bring sophistication and elegance to today's high-powered meeting rooms.

The high-quality resistance-hinge door assembly extends stable positioning of the door throughout its entire movement span, as well as a quiet, comfortable closure. The doors also provide space along the edges for cable exit while closed.

Stafford Series is available in bezel mounting option and is UL 962A and 111 Listed.



STAFFORD™ SERIES



FEATURES:

Applications

- Bezel
- Conference tables
- Boardrooms

Standard Metal Flange Finishes

- Silver
- Black
- White

Stafford™ Specifications

- 4- 15A, 120V AC Power Outlets
- 4- 2.1A/10.5W USB Charging Ports
- 4 Blank Extron "Mini" Plates*
- Cord Options Include 10' Cord, 1' Perimeter Cord, or 8' Hardwire Conduit
- Recessed Cavity in Satin Black
- Recommended Cutout Size: 17.75" x 4.38"
- UL 962A and 111 Listed



Stafford Mini™ Specifications

- 2- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Blank Extron "Mini" Plates*
- Cord Options Include 10' Cord, 12" Perimeter Cord, or 8' Hardwire Conduit
- Recessed Cavity in Satin Black
- Recommended Cutout Size: 9.50" x 4.38"
- UL 962A and 111 Listed

**Extron Plates sold through Third Party Distributor. Contact Extron directly for Extron Plate Options. Not available for purchase through Dekko.*

Dimensions

- Stafford™ Standard Dimensions: 18.5" x 5"
- Stafford Mini™ Standard Dimensions: 10" x 5"



DESCRIPTION	LENGTHS CORDED	FINISH BEZEL DOOR/METAL BOX	MODEL
STAFFORD			
<ul style="list-style-type: none"> • 4 AC 15 Amp Power Outlets, 4 USB 2.1 Amp Charging Ports, and 4 Extron Mini Architectural Adapter Blank Inserts 	120" Cord	Silver/Black Black/Black White/Black	305076-3-HMMS 305076-3-KIBS 305076-3-VPPW
STAFFORD WITH PERIMETER SYSTEM			
<ul style="list-style-type: none"> • 4 AC 15 Amp Power Outlets, 4 USB 2.1 Amp Charging Ports, 4 Extron Mini Architectural Adapter Blank Inserts with 12" Perimeter cord 	12" Perimeter Cord	Silver/Black Black/Black White/Black	400067-3-HMMS 400067-3-KIBS 400067-3-VPPW
STAFFORD MINI			
<ul style="list-style-type: none"> • 2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports, and 2 Extron Mini Architectural Adapter Blank Inserts 	120" Cord	Silver/Black Black/Black White/Black	305076-1-HMMS 305076-1-KIBS 305076-1-VPPW
STAFFORD MINI WITH PERIMETER SYSTEM			
<ul style="list-style-type: none"> • 2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports, 2 Extron Mini Architectural Adapter Blank Inserts with 12" Perimeter cord 	12" Perimeter Cord	Silver/Black Black/Black White/Black	400067-1-HMMS 400067-1-KIBS 400067-1-VPPW

Cords Available Upon Request: Conduit Cord, PVC Free NEMA Cord
See Perimeter Literature for Additional Product Information.