





FEATURES:

Applications

In-surface/tabletop
Screw-mount

Standard Finishes

Silver Pearl	
Black	
Gloss White	
Brushed Aluminum	

Cove™ Family of Products

- Cove™
- Cove™ LG & RJ (Retro Series)
- Cove™ TR
- Cove™ 60 Watt
- Cove™ Mini
- Cove™ Round




Specifications

- 12A, 120VAC Spill or *Tamper Resistant Receptacles (*Available on select models. See Cove™ TR Spec Sheet for details.)
- 2.1A/10.5W USB or 5A/60W USB-C Power Delivery Ports
- Data Knockouts for RJ45s
- Recommended Surface Thickness for Cove™ Configurations: 0.75" x 1.25"
- Available Corded or DaisyLink™ Quick Kits Options
- Optional Accessories: 1.5" Mounting Bracket and Customizable Data Options
- ETL Listed for US and Canada

Dimensions

- Product lengths vary per configurations. (Reference any Cove™ Series Spec Sheets for Details.)



DESCRIPTION	FINISH	PART NUMBER
Cove™ Corded		
• 2 power, 108" Cord	Gloss White	COV-2-GW-108
	Silver Pearl	COV-2-S-108
	Black	COV-2-B-108
	Brushed Aluminum	COV-2-AL-108
• 3 power, 108" Cord	Gloss White	COV-3-GW-108
	Silver Pearl	COV-3-S-108
	Black	COV-3-B-108
	Brushed Aluminum	COV-3-AL-108
• 4 power, 108" Cord	Gloss White	COV-4-GW-108
	Silver Pearl	COV-4-S-108
	Black	COV-4-B-108
	Brushed Aluminum	COV-4-AL-108
• 6 power, 108" Cord	Gloss White	COV-6-GW-108
	Silver Pearl	COV-6-S-108
	Black	COV-6-B-108
	Brushed Aluminum	COV-6-AL-108
Cove™ DaisyLink		
• 1 power only, circuit 1	Gloss White	COV-1-4-1-GW
	Silver Pearl	COV-1-4-1-S
	Black	COV-1-4-1-B
	Brushed Aluminum	COV-1-4-1-AL
• 2 power only, circuit 1	Gloss White	COV-2-4-1-GW
	Silver Pearl	COV-2-4-1-S
	Black	COV-2-4-1-B
	Brushed Aluminum	COV-2-4-1-AL
• 3 power only, circuit 1	Gloss White	COV-3-4-1-GW
	Silver Pearl	COV-3-4-1-S
	Black	COV-3-4-1-B
	Brushed Aluminum	COV-3-4-1-AL
• 4 power only, circuit 1	Gloss White	COV-4-4-1-GW
	Silver Pearl	COV-4-4-1-S
	Black	COV-4-4-1-B
	Brushed Aluminum	COV-4-4-1-AL
• 1 power, 2 USB, circuit 1	Gloss White	COV-1U-4-1-GW
	Silver Pearl	COV-1U-4-1-S
	Black	COV-1U-4-1-B
	Brushed Aluminum	COV-1U-4-1-AL
• 2 power 2 USB, circuit 1	Gloss White	COV-2U-4-1-GW
	Silver Pearl	COV-2U-4-1-S
	Black	COV-2U-4-1-B
	Brushed Aluminum	COV-2U-4-1-AL
• 3 power 2 USB, circuit 1	Gloss White	COV-3U-4-1-GW
	Silver Pearl	COV-3U-4-1-S
	Black	COV-3U-4-1-B
	Brushed Aluminum	COV-3U-4-1-AL
• 4 power 2 USB, circuit 1	Gloss White	COV-4U-4-1-GW
	Silver Pearl	COV-4U-4-1-S
	Black	COV-4U-4-1-B
	Brushed Aluminum	COV-4U-4-1-AL


Cove™ DaisyLink Single Kits Fit Standard Table Lengths: 36", 42", 48", 60" and 72"

Each Single Kit Contains:


- 1 Cove DaisyLink unit
- 1 Female/Female Interconnecting cable
- 1 Female/Male Interconnecting cable
- 4 Plastic cable clamps and screws

*Note: Starter Cable sold separately.

Single Kit Configurations: 2 Power and 2 Power, 2 USB



Single Kit Configurations: 4 Power and 4 Power, 2 USB



DESCRIPTION

FINISH

PART NUMBER

Cove™ DaisyLink Single Kits

<ul style="list-style-type: none"> • DaisyLink Single Kit, 2 power only, Circuit 1 	Gloss White Silver Pearl Black Brushed Aluminum	COV-2-41-GW-__K* COV-2-41-S-__K* COV-2-41-B__K* COV-2-41-AL__K*
<ul style="list-style-type: none"> • DaisyLink Single Kit, 4 power Only, Circuit 1 	Gloss White Silver Pearl Black Brushed Aluminum	COV-4-41-GW-__K* COV-4-41-S-__K* COV-4-41-B__K* COV-4-41-AL__K*
<ul style="list-style-type: none"> • DaisyLink Single Kit, 2 power (2) 2.1A USB charging ports, Circuit 1 	Gloss White Silver Pearl Black Brushed Aluminum	COV-2U-41GW-__K* COV-2U-41-S-__K* COV-2U-41-B__K* COV-2U-41AL__K*
<ul style="list-style-type: none"> • DaisyLink Single Kit, 4 power (2) 2.1A USB charging ports, Circuit 1 	Gloss White Silver Pearl Black Brushed Aluminum	COV-4U-41GW-__K* COV-4U-41-S-__K* COV-4U-41-B__K* COV-4U-41AL__K*

*Replace __ in part number with standard table size from above


Cove™ DaisyLink Double Kits Fit Standard Table Lengths: 60" and 72"

Each Single Kit Contains:


- 2 Cove DaisyLink unit
- 2 Female/Female Interconnecting cable
- 1 Female/Male Interconnecting cable
- 8 Plastic cable clamps and screws

*Note: Starter Cable sold separately.


Double Kit Configurations: 2 Power



Double Kit Configurations: 2 Power 2 USB



Double Kit Configurations: 4 Power



Double Kit Configurations: 4 Power 2 USB



DESCRIPTION

FINISH

PART NUMBER

Cove™ DaisyLink Single Kits

- DaisyLink Double Kit, two units with 2 power only, Circuit 1

Gloss White
Silver Pearl
Black
Brushed Aluminum

COV-2-41-GW-__DK*
COV-2-41-S-__DK*
COV-2-41-B__DK*
COV-2-41-AL__DK*

- DaisyLink Double Kit, two units with 4 power Only, Circuit 1

Gloss White
Silver Pearl
Black
Brushed Aluminum

COV-4-41-GW-__DK*
COV-4-41-S-__DK*
COV-4-41-B__DK*
COV-4-41-AL__DK*

- DaisyLink Double Kit, two units with 2 power (2) 2.1A USB charging ports, Circuit 1

Gloss White
Silver Pearl
Black
Brushed Aluminum

COV-2U-41GW-__DK*
COV-2U-41-S-__DK*
COV-2U-41-B__DK*
COV-2U-41AL__DK*

- DaisyLink Double Kit, two units with 4 power (2) 2.1A USB charging ports, Circuit 1

Gloss White
Silver Pearl
Black
Brushed Aluminum

COV-4U-41GW-__DK*
COV-4U-41-S-__DK*
COV-4U-41-B__DK*
COV-4U-41AL__DK*

*Replace __ in part number with standard table size from above