SAFETY
MEETS
HIGH-END
DESIGN

POWER WITH HIGH STANDARDS.

Cove™ TR offers tamper-resistant power and charging capabilities ideal for any high-traffic environment. Equipped with internal spring-loaded shutters that prevent foreign objects (or fingers) from being inserted and shocked, users of all ages are protected whilst providing power within safe reach. From soft-sided seating to tabletops, Cove™ TR can be integrated seamlessly, in both vertical and horizontal positions.

ECA
BY DEKKO

FEATURES:

Mounting Capabilities
Bezel /In-Surface

Applications
Ancillary Furniture
Work Surfaces
Training Tables
Soft-Sided Seating

Standard Finishes*
Silver
Black (Textured Finish)
White
Bronze
Latte
Carbon
Brushed Aluminium

*Interested in our specialty finishes?
Contact us for details.

SPECIFICATIONS:

- 15A/120V AC Tamper-Resistant Receptacles

- 2.1A/5V Shared; Dual USB Charging Ports *(Available on Select Models)*

- Convenience Outlet *(Available on Select Models)*

- Standard Cord and Hardwire Whip Length: 108" - Corded Units Equipped with Straight Plug

- Clamp, Flange and Screw Mounting Capabilities *(Screw-Mount Configurations Available Upon Request)*

- Fits Surface Thicknesses:

    - *1 Power, 2 USB*   -   0.25" - 1.25"
    - *2 Power, 2 USB*   -   0.25" - 2.0"
    - *2 Power Only*   -   0.25" - 1.25"
    - *2 Power w/ Convenience*   -   0.25" - 1.25"
    - *3 Power, 2 USB*   -   0.25" - 1.25"

- Optional Mounting Bracket for Surface Thicknesses Up-to 1.50"

- Table Cutout: Varies by Configuration - See Install Sheet for Details

- ETL Listed for US and Canada

CORDED

HARDWIRED

ECA
BY DEKKO

Clamp-Mount (Featured to the right) -

• **Intended Applications:** desks, benches, tables; ideal for surfaces that provide access to back of unit

• **Tool-free installation:** unit is fastened to furniture from the rear by tightening the thumbscrews

Screw-Mount (Featured to the left) -

• **Intended Applications:** soft sided seating, lounge furniture, support columns; ideal for surfaces where there is limited, or no access to back of unit

• **Installation** - *requires tools*: screws *(not included)* are installed from the front of the unit, through the faceplate, fastening the Cove™ to the furniture

Flange Mount (Featured to the right;
Available on 2 power 2 USB configuration only) -

• **Intended Applications:** desks, benches, tables; ideal for tight spaces where front screw attachments are inaccessible

• **Installation** - *requires tools:* after unit is installed in surface cutout, the flanges bend upward; screws *(not included)* are installed from underneath, fastening to furniture

Convenience Outlets (Featured to the left) -

• **Intended Applications**: desks, tables and work surfaces; ideal for stationary accessories like lamps, computers, or monitors that do not need to be accessed frequently. This offers surface access to charge temporary devices like laptops and mobile devices that are used regularly.

ECA
BY DEKKO

CLAMP-MOUNT BRACKETS ARE NOT SHOWN IN LINE ART DIAGRAMS

NOTE - FOR ALL UNITS SHOWN BELOW:
FACEPLATE WIDTH = 2.50"

CLAMP-MOUNT | POWER ONLY

FACE PLATE WIDTH
5.00
3.71
2 RECEPTACLES
1.80
2.96

CLAMP-MOUNT | POWER & CONVENIENCE OUTLETS

5.00
4.21
2 RECEPTACLES
1 CONVENIENCE OUTLET
1.70
3.81

CLAMP-MOUNT | POWER & USB

FACE PLATE WIDTH
1 RECEPTACLE
1 DUAL USB PORT
5.00
4.07
2.96
1.80

7.75
3.64
5.71
3 RECEPTACLES
1 DUAL USB PORT
1.81

FLANGE MOUNT | POWER & USB

3.65
6.50
5.17
1.73
2 RECEPTACLES
1 DUAL USB PORT

ECA
BY DEKKO

CORDED CONFIGURATIONS

	FINISH	PRODUCT NUMBER
ONE POWER		
1 POWER TR RECEPTACLE, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-1U-S-108 COV-TR-1U-B-108 COV-TR-1U-GW108 COV-TR-1U-Z-108 COV-TR-1U-L-108 COV-TR-1U-C-108 COV-TR-1U-AL108
TWO POWER		
2 POWER TR RECEPTACLES, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-2-S-108 COV-TR-2-B-108 COV-TR-2-GW108 COV-TR-2-Z-108 COV-TR-2-L-108 COV-TR-2-C-108 COV-TR-2-AL108
2 POWER TR RECEPTACLES, 1 CONVENIENCE OUTLET, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-21-GW108 COV-TR-21-S-108 COV-TR-21-B-108 COV-TR-21-Z-108 COV-TR-21-L-108 COV-TR-21-C-108 COV-TR-21-AL108
2 POWER TR RECEPTACLES, 1 DUAL USB, BEZEL MOUNT UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-2U-GW108 COV-TR-2U-S-108 COV-TR-2U-B-108 COV-TR-2U-Z-108 COV-TR-2U-L-108 COV-TR-2U-C-108 COV-TR-2U-AL108
THREE POWER		
3 POWER TR RECEPTACLES, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-3U-S-108 COV-TR-3U-B-108 COV-TR-3U-GW108 COV-TR-3U-Z-108 COV-TR-3U-L-108 COV-TR-3U-C-108 COV-TR-3U-AL108

HARDWIRED CONFIGURATIONS

	FINISH	PRODUCT NUMBER
TWO POWER		
2 POWER TR RECEPTACLES, 1 DUAL USB, HARD WIRED BEZEL UNIT WITH 108" STANDARD CORD WHIP	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-TR-2USHW108 COV-TR-2UBHW108 COV-TR-2UGWHW108 COV-TR-2UZHW108 COV-TR-2ULHW108 COV-TR-2UCHW108 COV-TR-2UALHW108

MOUNTING OPTIONS

	FINISH	PRODUCT NUMBER
Optional mounting bracket for table thicknesses up-to 1.50", Black Finish	Black	COV-1.5-BRKT

Other cord lengths available at cost: 36", 72", 144" and 180"
Replace -108 in the listed part number with appropriate cord length: -36, -72, -144 or -180
Screw-mount configurations available upon request - contact us for more details
Call for pricing

ECA BY DEKKO