

ISLE™ G2 SERIES CORDED



FULLY LOADED POWER HUB

PORTABLE CHARGING POWER FROM EVERY

Give transitional and collaborative spaces a much needed boost of connectivity. As a free standing, full-service, power and charging station, Isle™ G2's dynamic functionality provides 360° of power, USB and USB-C® charging capabilities for multi-user connection. Environments like airport terminals, student unions, and hotel lobbies can now offer a surplus of innovative and flexible power like never before.



FEATURES:

Mounting Capabilities Freestanding

Portable

Applications

Collaborative Spaces

Floor Surface

Standard Finishes

Silver

White

Black Bronze

Latte

Carbon



CORDED (POWER WITH USB & USB-C CONFIGURATION SHOWN)

SPECIFICATIONS:

- 15A/120V AC Tamper-Resistant Receptacles
- 5A/25W, 5VDC Shared; USB & USB-C® Charging Ports (Vary By Configuration)
- Standard Cord Length: 108"
- Integrated Cord Management Wrap Cord at Base of Unit
- Approximate Weight: 28 lbs.
- ETL Listed for US and Canada


USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum



Free-Standing Portability (Featured to the right) -

This portable multi-purpose power tower can be placed anywhere charging capabilities are needed. Simply move and position one among a cluster of chairs or tables in a lounge, student center, or meeting area. Should the space configurations change, move the Isle G2 and reposition in the new space.







Tether/Anchor to Surface (Featured to the left) -


Additional slots located underneath the base of the unit allow $Isle^{TM}$ G2 to either tether or bolt to surface should mobility not be desired.

SERIES DIMENSIONS





3 USB-C PORTS



Ordering information continued on following page...



CHOOSE YOUR FINISH:

SELECT YOUR POWER:









	WHITE
70	
A	
Ü,	
4	

	POWER RECEPTACLES	USB-A PORTS	USB-C [®] PORTS	
POWER & USB STANDARD 108" CORD				
	12	6	-	ISL-12U6A-S108
POWER & USB-C* STANDARD 108" CORD				
	12	-	6	ISL-12U6C-S108
POWER, USB & USB-C* STANDARD 108" CORD				
	12	3	3	ISL-12U3AC-S108

USB-A PORTS	USB-C [®] PORTS			
POWER & USB STANDARD 108" CORD				
6	-	ISL-12U6A-GW108		
POWER & USB-C° STANDARD 108" CORD				
-	6	ISL-12U6C-GW108		
POWER & USB-C® STANDARD 108" CORD				
3	3	ISL-12U3AC-GW108		
	STANDARD 6 STANDA - STANDA	STANDARD 108" CORD 6 6 6 STANDARD 108" CO		

POWER RECEPTACLES	USB-A PORTS	USB-C [®] PORTS		
POWER & USB STANDARD 108" CORD				
12	6	-	ISL-12U6A-GB108	
POWER & USB-C* STANDARD 108" CORD				
12	-	6	ISL-12U6C-GB108	
POWER & USB-C* STANDARD 108" CORD				
12	3	3	ISL-12U3AC-GB108	



CHOOSE YOUR FINISH:

SELECT YOUR POWER:

BRONZE

POWER RECEPTACLES	USB-A PORTS	USB-C° PORTS			
POWER & USB STANDARD 108" CORD					
12	6	-	ISL-12U6A-Z108		
POWER & USB-C* STANDARD 108" CORD					
12	-	6	ISL-12U6C-Z108		
POWER, USB & USB-C* STANDARD 108" CORD					
12	3	3	ISL-12U3AC-Z108		

LATTE

	POWER RECEPTACLES	USB-A PORTS	USB-C [®] PORTS		
	POWER & USB STANDARD 108" CORD				
	12	6	-	ISL-12U6A-L108	
POWER & USB-C® STANDARD 108" CORD					
	12	-	6	ISL-12U6C-L108	
POWER & USB-C® STANDARD 108" CORD					
	12	3	3	ISL-12U3AC-L108	

CARBON

POWER RECEPTACLES	USB-A PORTS	USB-C [®] PORTS			
POWER & USB STANDARD 108" CORD					
12	6	-	ISL-12U6A-C108		
POWER & USB-C* STANDARD 108" CORD					
12	-	6	ISL-12U6C-C108		
POWER & USB-C* STANDARD 108" CORD					
12	3	3	ISL-12U3AC-C108		

