



# OASIS™ MINI SERIES

*CORDED & HARDWIRED*



CRITICAL  
CONNECTIVITY

CABLE  
MANAGEMENT

POWER  
CUSTOMIZATION



## BRINGING TECHNOLOGY TO THE FOREFRONT OF MEETING SPACES

The sophisticated 15-inch Oasis™ Mini supplies power, data, and charging technology where it's needed most. Available as an in-surface or under table (UT) unit, seamless productivity-enhancing technology and critical cable management are accessible at your fingertips. Customizable power inserts accommodate even the most unique preferences, creating a collab-centric environment that is both aesthetically pleasing and productive.



## FEATURES:

Mounting Capabilities  
Bezel/In-Surface  
Under Table (UT)

Applications  
Conference/Meeting  
Collaborative Spaces

### Standard Finishes\*

Silver  
Black (Textured Finish)  
White  
Brushed Aluminum  
Black Brushed Aluminum  
Bronze  
Latte  
Carbon



### Trim Kit Lid Finishes (For UT Version Only)


Frosted Glass




\*Interested in our specialty finishes?  
Contact us for details.



POWER ONLY INSERT




POWER & DATA INSERT



POWER & USB INSERT



DATA ONLY INSERT




## UNIT SPECIFICATIONS:


- 15A/120V AC Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports (Available on Select Models)
- Customizable Telecom Plate Knockouts (Available on Select Models; Plates Purchased Separately)
- Standard Cord and Hardwired Whip Lengths: 108"
- 15-Inch Table Trough - Tabletop and Under Table (UT) Models
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout: 14.12" x 8.25" (See Install Sheet for Additional Required Undercut Instructions)
- Optional Outer Pan Accessory (Purchased Separately)
- Power Inserts - UL Listed for US and Canada

## OASIS™ MINI UT TRIM & LID PIVOT KIT SPECIFICATIONS:

- For Use with Under Table (UT) Models Only
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Oasis™ Mini Surface Cutout (Listed in Specs Above)
- Fits Surface Thicknesses: 0.75" - 2.0"
- Includes Set of 2 Frosted Glass Lids - Must Be Used with Trim Pivot Kit (Purchased Separately)
  - Lid Thickness: 0.25"



IN-SURFACE  
CORDED




UNDER TABLE  
HARDWIRED  
(WITHOUT LID SHOWN)

Mounting capabilities on following page...

*In-Surface/Bezel (Featured to the right) -*

- Easily integrate Oasis™ Mini tabletop unit directly into the surface cutout. This model comes standardly equipped with a clever retractable lid that keeps wires and cables organized and out of sight. When closed, the unit sits nearly flush to the surface for an overall aesthetic finish.

*Under Table (UT) (Featured to the left) -*

- Oasis™ Mini UT secures to the underside of the application for a completely recessed finish. When paired with the optional Trim & Lid Pivot Kits, the set of frosted glass lids flip open and closed; providing easy access to integrated technology with additional cable management capabilities.

Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic.


*Note: Custom lids are not provided*




Series dimensions on following page...




OASIS™ MINI A | POWER & DATA




OASIS™ MINI UT A | POWER & DATA




OASIS™ MINI B | POWER & DATA




OASIS™ MINI UT B | POWER & DATA



OASIS™ MINI USB | POWER & USB




OASIS™ MINI UT USB | POWER & USB




Continued on following page...

OASIS™ MINI SERIES | OUTER PAN ACCESSORY



OASIS™ MINI UT | LID & TRIM PIVOT KIT



\*Refer to Trim Pivot Kit Installation Sheet for Trim & Lid Pivot Kit Assembly Directions\*

Ordering information on following page...

## OASIS MINI CORDED CONFIGURATIONS

OASIS MINI A	FINISH	PRODUCT NUMBER
--------------	--------	----------------

6 POWER, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON  
BRUSHED ALUMINIUM  
BLACK BRUSHED ALUMINIUM

OAM-A-PC-S  
OAM-A-PC-B  
OAM-A-PC-GW  
OAM-A-PC-Z  
OAM-A-PC-L  
OAM-A-PC-C  
OASIS-MINI A  
OASIS-MINI A BL

6 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON

OASIS-MINI UT A  
OASIS-MINI UT ABL  
OASIS-MINI UT AGW  
OASIS-MINI UT AZ  
OASIS-MINI UT AL  
OASIS-MINI UT AC

## OASIS MINI B

4 POWER, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON  
BRUSHED ALUMINIUM  
BLACK BRUSHED ALUMINIUM

OAM-B-PC-S  
OAM-B-PC-B  
OAM-B-PC-GW  
OAM-B-PC-Z  
OAM-B-PC-L  
OAM-B-PC-C  
OASIS-MINI B  
OASIS-MINI B BL

4 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON

OASIS-MINI UT B  
OASIS-MINI UT BBL  
OASIS-MINI UT BGW  
OASIS-MINI UT BZ  
OASIS-MINI UT BL  
OASIS-MINI UT BC

## OASIS MINI USB

6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUT, CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON  
BRUSHED ALUMINIUM  
BLACK BRUSHED ALUMINIUM

OAM-U-PC-S-108  
OAM-U-PC-B-108  
OAM-U-PC-GW-108  
OAM-U-PC-Z-108  
OAM-U-PC-L-108  
OAM-U-PC-C-108  
OAM-U-AL-108  
OAM-U-BA-108

6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

SILVER  
BLACK  
WHITE  
BRONZE  
LATTE  
CARBON

OAM-UT-U-S-108  
OAM-UT-U-B-108  
OAM-UT-U-GW-108  
OAM-UT-U-Z-108  
OAM-UT-U-L-108  
OAM-UT-U-C-108

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS  
CHANGE 4-1 TO 4-2 IN PART NUMBER TO SPECIFY CIRCUIT 2 CONFIGURATIONS  
TELECOM PLATES SOLD SEPARATELY  
LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY  
CALL FOR PRICING

## OASIS MINI HARDWIRED CONFIGURATIONS

OASIS MINI A	FINISH	PRODUCT NUMBER
6 POWER, 2 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	OAM-A-PC-S-HW OAM-A-PC-B-HW OAM-A-PC-GW-HW OAM-A-PC-Z-HW OAM-A-PC-L-HW OAM-A-PC-C-HW OASIS-MINI A HW OASIS-MINI A BL HW
6 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON	OASIS-MINI UT AHW OASIS-MINI UT ABLHW OASIS-MINI UT AGWHW OASIS-MINI UT AZHW OASIS-MINI UT ALHW OASIS-MINI UT ACHW

## OASIS MINI B

4 POWER, 2 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	OAM-B-PC-S-HW OAM-B-PC-B-HW OAM-B-PC-GW-HW OAM-B-PC-Z-HW OAM-B-PC-L-HW OAM-B-PC-C-HW OASIS-MINI B HW OASIS-MINI B BL HW
4 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON	OASIS-MINI UT BHW OASIS-MINI UT BBLHW OASIS-MINI UT BGWHW OASIS-MINI UT BZHW OASIS-MINI UT BLHW OASIS-MINI UT BCHW


## OASIS MINI USB

6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUT, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	OAM-U-PC-S-108-HW OAM-U-PC-B-108-HW OAM-U-PC-GW-108-HW OAM-U-PC-Z-108-HW OAM-U-PC-L-108-HW OAM-U-PC-C-108-HW OAM-U-AL-108 HW OAM-U-BA-108 HW
6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON	OAM-UT-U-S-108HW OAM-UT-U-B-108HW OAM-UT-U-GW-108HW OAM-UT-U-Z-108HW OAM-UT-U-L-108HW OAM-UT-U-C-108HW

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS  
 CHANGE 4-1 TO 4-2 IN PART NUMBER TO SPECIFY CIRCUIT 2 CONFIGURATIONS  
 TELECOM PLATES SOLD SEPARATELY  
 LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY  
 CALL FOR PRICING

## MOUNTING ACCESSORIES


### OUTERPAN ACCESSORY (OPTIONAL):




A.

DESCRIPTION	FINISH	PART NUMBER
A. Oasis™ Mini Outerpan - conceals underside of 15" Oasis Mini Trough	Silver	OASIS-MINI PANS
	Black	OASIS-MINI PANB

### OASIS™ MINI UT LID & TRIM PIVOT KIT (OPTIONAL):



B.



C.

DESCRIPTION	FINISH	PART NUMBER
B. Trim Pivot Kit - components for glass lid assembly for Oasis™ Mini UT Versions Only <i>(can be used alone, with custom lid, or provided lid options)</i>	Brushed Aluminum	OASIS UT LPA*
C. Lid Pivot Kit - Set of 2 glass lids to be used with Trim Pivot Kit	Frosted Glass	OASISMINI UTLG2*

\*BOTH PART NUMBERS ARE REQUIRED FOR COMPLETE OASIS™ MINI UT LID ASSEMBLY