

**FEATURES:**

**Applications**

- Under Desks
- Training tables

**Standard Finishes - Smart Box Power Infeed**

Die Cast/Sheet Metal Housing/Black Coating ■




Table-Top View




Table-Bottom View



Table-Bottom View - Connections

**Specifications - Components**

**Smart Box Power Infeed & Jumper Cable**

- 12 Amp System Rating
- 15 Amp Over-Current Protection Smart Box Power Infeed with NEMA 5-15 Plug
- Smart Sensor Circuitry Technology on Smart Box Infeed - Prevents Dual Powering with Auto Shut-Off Feature
- LED Indicator "RED/GREEN" Light Verify User of Operational System Status/Condition (See *Perimeter Install Sheet for Light Status Details*)
- Systems Interconnecting Cordage Cannot Exceed 40 Feet from Output End of Infeed Box to Last Receptacle in String
- UL 962 Recognized



- Non-Sequential Installation - Attach up to 16 Single Simplex AC Power Outlets using Standard 110V Wall Outlet (8 Duplex Power Modules)
- Smart Box Power Infeed Available in Various Cord Lengths - Min 9 Feet - 15 Feet Max
- Harness Plug Used on Smart Box Infeed and All Jumper Cables (Connects with *Perimeter Distribution 3 Port Plug that is Built-in to all Compatible Studio Products* (See *Product Compatibility List under "Paired Studio Product Specs"*)
- Jumper Length Options: 12", 24", 30", 36", 48", 60", 72", 84", 96", or 120"

**\*Note: Infeeds, Jumpers, & Specified Power Unit(s) Sold Separately Not Compatible with Existing Next Connect Products**


**Paired Studio Products With Perimeter System**

- 15 Amp 120 Volt Power Outlets
- 2.1 Amp 10.5 Watt USB Charging Ports – Option Available on Select Models
- Data Port(s) for HDMI, RJ45, VGA or Blank Insert – Option Available on Select Models
- 12" Distribution 3-Port Plug Perimeter Cord Built-in to All Compatible Studio Products
- Mix and Match Units in Any Order
- Compatible with the Ashley Uno™ Series, Duo™ Series, Duo Wedge™, Duo Air™, 202™ Series, Trio™ Series, Quad™ Series, Ashley TR Series, Mini Adapt, and Stafford Series (See *Individual Product Literature for UL Certification/Information*)

**Components**



Smart Box Power Infeed Component 1



Jumper Cable Component 2



Compatible Product Mini Adapt Component 3



Harness Plug End on Smart Box Power Infeed and Jumper Cables



3-Port Plug Perimeter Cord End Built-in to All Compatible Studio Products

DESCRIPTION	LENGTH	FINISH	MODEL
	INFEEDS/JUMPERS/CORDS	PLASTIC FACE/METAL TRIM	
<b>SMART BOX / POWER INFEED</b>			
<ul style="list-style-type: none"> <li>Specify Desired Lengths: Minimum of 9' - 15' Feet Maximum</li> </ul>	9'	N/A	400022-1-18
	10'	N/A	400022-1-9
	11'	N/A	400022-1-5
	12'	N/A	400022-1-7
	13'	N/A	400022-1-14
	14'	N/A	400022-1-15
	15'	N/A	400022-1-8

**JUMPERS**

• 12" Jumper	12"	N/A	400023.1.1
• 24" Jumper	24"	N/A	400023.1.2
• 30" Jumper	30"	N/A	400023.1.17
• 36" Jumper	36"	N/A	400023.1.18
• 48" Jumper	48"	N/A	400023.1.4
• 60" Jumper	60"	N/A	400023.1.6
• 72" Jumper	72"	N/A	400023.1.10
• 84" Jumper	84"	N/A	400023.1.32
• 96" Jumper	96"	N/A	400023.1.21
• 120" Jumper	120"	N/A	400023.1.28

**STUDIO POWER UNITS COMPATIBLE WITH PERIMETER SYSTEM**

**MINI-ADAPT**

• 2 AC 15 Amp Power Outlets with 12" Perimeter cord	12" Perimeter Cord	Black/Black White/White	400024-1-1 400024-1-3
-----------------------------------------------------	--------------------	----------------------------	--------------------------

**ASHLEY UNO - CLAMP MOUNT**

<ul style="list-style-type: none"> <li>1 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400079.01.04.01
		Gray/Silver	400079.01.01.01
		White/Silver	400079.01.57.01
		White/White	400079.01.VW.01

**ASHLEY UNO - UNDER**

<ul style="list-style-type: none"> <li>1 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400080.01.04.01
		Gray/Silver	400080.01.01.01
		White/Silver	400080.01.57.01
		White/White	400080.01.VW.01

**ASHLEY UNO - BEZEL**

<ul style="list-style-type: none"> <li>1 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400081.01.04.01
		Gray/Silver	400081.01.01.01
		White/Silver	400081.01.57.01
		White/White	400081.01.VW.01

Please note: Additional charges apply per every 12" of extra perimeter cord is needed.



BY DEKKO

DESCRIPTION	LENGTH	FINISH	MODEL
	INFEEDS/JUMPERS/CORDS	PLASTIC FACE/METAL TRIM	
<b>ASHLEY UNO TR - CLAMP MOUNT</b>			
<ul style="list-style-type: none"> <li>1 AC 15 Amp Tamper Resistant Power Outlet, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400082.01.04.01
		Gray/Silver	400082.01.01.01
		White/White	400082.01.VW.01
<b>ASHLEY UNO TR - UNDER</b>			
<ul style="list-style-type: none"> <li>1 AC 15 Amp Tamper Resistant Power Outlet, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400083.01.04.01
		Gray/Silver	400083.01.01.01
		White/White	400083.01.VW.01

**ASHLEY UNO TR - BEZEL**

<ul style="list-style-type: none"> <li>1 AC 15 Amp Tamper Resistant Power Outlet, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400084.01.04.01
		Gray/Silver	400084.01.01.01
		White/White	400084.01.VW.01

**ASHLEY DUO - CLAMP MOUNT**

<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400047.01.04.01
		Gray/Silver	400047.01.01.01
		White/Silver	400047.01.57.01
		White/White	400047.01.VW.01

**ASHLEY DUO - UNDER**

<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400048.01.04.01
		Gray/Silver	400048.01.01.01
		White/Silver	400048.01.57.01
		White/White	400048.01.VW.01

**ASHLEY DUO - BEZEL**

<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400055.01.04.01
		Gray/Silver	400055.01.01.01
		White/Silver	400055.01.57.01
		White/White	400055.01.VW.01

**ASHLEY DUO WEDGE**

<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400077.02.04.01
		Gray/Silver	400077.02.01.01
		White/Silver	400077.02.57.01
		White/White	400077.02.VW.01

**ASHLEY DUO AIR**

<ul style="list-style-type: none"> <li>Pop-up unit with 2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black	400057.01.04.01
		Gray/Silver	400057.01.01.01
		White/Silver	400057.01.57.01
		White/White	400057.01.VW.01

Please note: Additional charges apply per every 12" of extra perimeter cord is needed.



BY DEKKO

DESCRIPTION	LENGTH INFEEDS/JUMPERS/CORDS	FINISH PLASTIC FACE/METAL TRIM	MODEL
<b>ASHLEY DUO TR - UNDER</b>			
<ul style="list-style-type: none"> <li>2 AC 15 Amp Tamper Resistant Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/White	400085.01.04.01 400085.01.01.01 400085.01.VW.01
<b>ASHLEY DUO TR - BEZEL</b>			
<ul style="list-style-type: none"> <li>2 AC 15 Amp Tamper Resistant Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/White	400086.01.04.01 400086.01.01.01 400086.01.VW.01
<b>ASHLEY 210 TR - CLAMP MOUNT</b>			
<ul style="list-style-type: none"> <li>2 AC 15 Amp Tamper Resistant Power Outlets, 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/White	400087.01.04.01 400087.01.01.01 400087.01.VW.01
<b>ASHLEY 202 - CLAMP MOUNT</b>			
<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 Data Knockouts with 2 Data Adapter Kits (connectors sold separately), 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/Silver White/White	400074.01.04.01 400074.01.01.01 400074.01.57.01 400074.01.VW.01
<b>ASHLEY TRIO - CLAMP MOUNT</b>			
<ul style="list-style-type: none"> <li>3 AC 15 Amp Power Outlets, 1 Data Knockout and Data Adapter Kit (connectors sold separately), 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/Silver White/White	400050.01.04.01 400050.01.01.01 400050.01.57.01 400050.01.VW.01
<b>ASHLEY TRIO - UNDER</b>			
<ul style="list-style-type: none"> <li>3 AC 15 Amp Power Outlets, 1 Data Knockout and Data Adapter Kit (connectors sold separately), 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/Silver White/White	400051.01.04.01 400051.01.01.01 400051.01.57.01 400051.01.VW.01
<b>ASHLEY TRIO - BEZEL</b>			
<ul style="list-style-type: none"> <li>3 AC 15 Amp Power Outlets, 1 Data Knockout and Data Adapter Kit (connectors sold separately), 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/Silver White/White	400056.01.04.01 400056.01.01.01 400056.01.57.01 400056.01.VW.01

Please note: Additional charges apply per every 12" of extra perimeter cord is needed.

DESCRIPTION	LENGTH INFEEDS/JUMPERS/CORDS	FINISH PLASTIC FACE/METAL TRIM	MODEL
<b>ASHLEY QUAD</b>			
<ul style="list-style-type: none"> <li>4 AC 15 Amp Power Outlets, 2 Data Knockouts with 2 Data Adapter Kits (connectors sold separately), 2 USB 2.1 Amp Charging Ports with 12" Perimeter cord</li> </ul>	12" Perimeter Cord	Black/Black Gray/Silver White/Silver White/White	400070.01.04.01 400070.01.01.01 400070.01.57.01 400070.01.VW.01
<b>STAFFORD</b>			
<ul style="list-style-type: none"> <li>4 AC 15 Amp Power Outlets, 4 USB 2.1 Amp Charging Ports, and 4 Extron Mini Architectural Adapter Blank Inserts</li> </ul>	12" Perimeter Cord	Silver/Black Black/Black White/Black	400067-3-HMMS 400067-3-KIBS 400067-3-VPPW
<b>STAFFORD MINI</b>			
<ul style="list-style-type: none"> <li>2 AC 15 Amp Power Outlets, 2 USB 2.1 Amp Charging Ports, and 2 Extron Mini Architectural Adapter Blank Inserts</li> </ul>	12" Perimeter Cord	Silver/Black Black/Black White/Black	400067-1-HMMS 400067-1-KIBS 400067-1-VPPW

Please note: Additional charges apply per every 12" of extra perimeter cord is needed.