





SECLUSION® G2 - CORDED & HARDWIRED

FEATURES:

Applications

- Clamp-on
- Under-mount
- Desktop/grommet

Standard Finishes


- Silver Pearl 
- Black 
- Gloss White 
- Gloss Black 

Specialty Colors

- Light Blue 
- Light Green 
- Pure Orange 
- Signal Red 
- Sulfur Yellow 
- Tuxedo 

Family of Products

- Seclusion® G2 Series
- Seclusion® 60 Watt Series




Specifications

- 2, 4, or 6 - 15A, 120V AC Tamper Resistant Receptacles
- 5A/25W, 5VDC USB and USB-C Charging Ports
- 1 Telecom Plate Knockout (Available on Select Models)
- Corded & Hardwire Options
- Standard Cord and Hardwire Metal Flex Conduit Length: 72"
- Metal Flex Conduit Hardwire Diameter: 9mm (3/8")
- Optional Hide It Kit Basket Grommet Accessory - See Hide It Kit Literature For Details
- Mounting Accessory of Choice Included with Purchase: Bracket, Clamp, Feet, or Grommet Mount. (See Seclusion Mounting Accessories Spec Sheet for details.)
- ETL Listed for US and Canada

Dimensions

- Seclusion G2 Lengths Vary By Configuration - See Chart for Details
- Seclusion G2 Standard Width for All Configurations: 2.61"
- Seclusion G2 Standard Depth for All Configurations: 2.65"



Configuration	Lengths
SEC-2 SEC-2U SEC-2U2C SEC-2UAC	5.40"
SEC-2D SEC-2UD SEC-2U2CD SEC-2UACD SEC-4 SEC-4U SEC-44U SEC-4U2C SEC-4UAC SEC-4U2AC	9.65"
SEC-44UD SEC-4UD SEC-4D SEC-4U2CD SEC-4UACD SEC-4U2ACD SEC-6 SEC-6U SEC-6U2C SEC-6UAC SEC-6U2AC	13.90"
SEC-6D SEC-6U2CD SEC-6UACD SEC-6U2ACD	18.17"

DESCRIPTION

2 Power Configurations- Corded

- 2 Power with 72" cord

- 2 Power, 1 Telecom Plate Knockout with 72" cord

- 2 Power, 2 USB with 72" cord

- 2 Power, 2 USB , 1 Telecom Plate Knockout with 72" cord

- 2 Power, 2 USB -C with 72" cord

- 2 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" cord

FINISH

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

- Black
- Silver Pearl
- Gloss White
- Gloss Black
- Light Blue
- Light Green
- Pure Orange
- Signal Red
- Sulfur Yellow
- Tuxedo

PART NUMBER

- SEC-2-B-72
- SEC-2-S-72
- SEC-2-GW-72
- SEC-2-GB-72
- SEC-2-LB-72
- SEC-2-LG-72
- SEC-2-PO-72
- SEC-2-SR-72
- SEC-2-SY-72
- SEC-2-TX-72

- SEC-2D-B-72
- SEC-2D-S-72
- SEC-2D-GW-72
- SEC-2D-GB-72
- SEC-2D-LB-72
- SEC-2D-LG-72
- SEC-2D-PO-72
- SEC-2D-SR-72
- SEC-2D-SY-72
- SEC-2D-TX-72

- SEC-2U-B-72
- SEC-2U-S-72
- SEC-2U-GW-72
- SEC-2U-GB-72
- SEC-2U-LB-72
- SEC-2U-LG-72
- SEC-2U-PO-72
- SEC-2U-SR-72
- SEC-2U-SY-72
- SEC-2U-TX-72

- SEC-2UD-B-72
- SEC-2UD-S-72
- SEC-2UD-GW-72
- SEC-2UD-GB-72
- SEC-2UD-LB-72
- SEC-2UD-LG-72
- SEC-2UD-PO-72
- SEC-2UD-SR-72
- SEC-2UD-SY-72
- SEC-2UD-TX-72

- SEC-2U2C-B-72
- SEC-2U2C-S-72
- SEC-2U2C-GW-72
- SEC-2U2C-GB-72
- SEC-2U2C-LB-72
- SEC-2U2C-LG-72
- SEC-2U2C-PO-72
- SEC-2U2C-SR-72
- SEC-2U2C-SY-72
- SEC-2U2C-TX-72

- SEC-2U2CD-B-72
- SEC-2U2CD-S-72
- SEC-2U2CD-GW-72
- SEC-2U2CD-GB-72
- SEC-2U2CD-LB-72
- SEC-2U2CD-LG-72
- SEC-2U2CD-PO-72
- SEC-2U2CD-SR-72
- SEC-2U2CD-SY-72
- SEC-2U2CD-TX-72

Note: Up-charges apply with cord length changes. Replace "72" at end of part number with 108" or 144" cord or additional lengths. Tuxedo configuration includes black housing with white receptacles.

DESCRIPTION	FINISH	PART NUMBER
2 Power Configurations (Continued) - Corded		
• 2 Power, 1 USB , 1 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2UAC-B-72 SEC-2UAC-S-72 SEC-2UAC-GW-72 SEC-2UAC-GB-72 SEC-2UAC-LB-72 SEC-2UAC-LG-72 SEC-2UAC-PO-72 SEC-2UAC-SR-72 SEC-2UAC-SY-72 SEC-2UAC-TX-72
• 2 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2UACD-B-72 SEC-2UACD-S-72 SEC-2UACD-GW-72 SEC-2UACD-GB-72 SEC-2UACD-LB-72 SEC-2UACD-LG-72 SEC-2UACD-PO-72 SEC-2UACD-SR-72 SEC-2UACD-SY-72 SEC-2UACD-TX-72
4 Power Configurations - Corded		
• 4 Power with 72" Cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4-B-72 SEC-4-S-72 SEC-4-GW-72 SEC-4-GB-72 SEC-4-LB-72 SEC-4-LG-72 SEC-4-PO-72 SEC-4-SR-72 SEC-4-SY-72 SEC-4-TX-72
• 4 Power, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4D-B-72 SEC-4D-S-72 SEC-4D-GW-72 SEC-4D-GB-72 SEC-4D-LB-72 SEC-4D-LG-72 SEC-4D-PO-72 SEC-4D-SR-72 SEC-4D-SY-72 SEC-4D-TX-72
• 4 Power, 2 USB with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U-B-72 SEC-4U-S-72 SEC-4U-GW-72 SEC-4U-GB-72 SEC-4U-LB-72 SEC-4U-LG-72 SEC-4U-PO-72 SEC-4U-SR-72 SEC-4U-SY-72 SEC-4U-TX-72
• 4 Power, 2 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U2C-B-72 SEC-4U2C-S-72 SEC-4U2C-GW-72 SEC-4U2C-GB-72 SEC-4U2C-LB-72 SEC-4U2C-LG-72 SEC-4U2C-PO-72 SEC-4U2C-SR-72 SEC-4U2C-SY-72 SEC-4U2C-TX-72

Note: Up-charges apply with cord length changes. Replace "72" at end of part number with 108" or 144" cord or additional lengths. Tuxedo configuration includes black housing with white receptacles.

DESCRIPTION	FINISH	PART NUMBER
4 Power Configurations (Continued) - Corded		
• 4 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U2CD-B-72 SEC-4U2CD-S-72 SEC-4U2CD-GW-72 SEC-4U2CD-GB-72 SEC-4U2CD-LB-72 SEC-4U2CD-LG-72 SEC-4U2CD-PO-72 SEC-4U2CD-SR-72 SEC-4U2CD-SY-72 SEC-4U2CD-TX-72
• 4 Power, 1 USB , 1 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4UAC-B-72 SEC-4UAC-S-72 SEC-4UAC-GW-72 SEC-4UAC-GB-72 SEC-4UAC-LB-72 SEC-4UAC-LG-72 SEC-4UAC-PO-72 SEC-4UAC-SR-72 SEC-4UAC-SY-72 SEC-4UAC-TX-72
• 4 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4UACD-B-72 SEC-4UACD-S-72 SEC-4UACD-GW-72 SEC-4UACD-GB-72 SEC-4UACD-LB-72 SEC-4UACD-LG-72 SEC-4UACD-PO-72 SEC-4UACD-SR-72 SEC-4UACD-SY-72 SEC-4UACD-TX-72
• 4 Power, 2 USB , 2 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U2AC-B-72 SEC-4U2AC-S-72 SEC-4U2AC-GW-72 SEC-4U2AC-GB-72 SEC-4U2AC-LB-72 SEC-4U2AC-LG-72 SEC-4U2AC-PO-72 SEC-4U2AC-SR-72 SEC-4U2AC-SY-72 SEC-4U2AC-TX-72
• 4 Power, 2 USB , 2 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U2ACD-B-72 SEC-4U2ACD-S-72 SEC-4U2ACD-GW-72 SEC-4U2ACD-GB-72 SEC-4U2ACD-LB-72 SEC-4U2ACD-LG-72 SEC-4U2ACD-PO-72 SEC-4U2ACD-SR-72 SEC-4U2ACD-SY-72 SEC-4U2ACD-TX-72
• 4 Power, 4 USB with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-44U-B-72 SEC-44U-S-72 SEC-44U-GW-72 SEC-44U-GB-72 SEC-44U-LB-72 SEC-44U-LG-72 SEC-44U-PO-72 SEC-44U-SR-72 SEC-44U-SY-72 SEC-44U-TX-72

Note: Up-charges apply with cord length changes. Replace "72" at end of part number with 108" or 144" cord or additional lengths. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
4 Power Configurations (Continued) - Corded		
• 4 Power, 4 USB , 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-44UD-B-72 SEC-44UD-S-72 SEC-44UD-GW-72 SEC-44UD-GB-72 SEC-44UD-LB-72 SEC-44UD-LG-72 SEC-44UD-PO-72 SEC-44UD-SR-72 SEC-44UD-SY-72 SEC-44UD-TX-72
• 4 Power, 2 USB , 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4UD-B-72 SEC-4UD-S-72 SEC-4UD-GW-72 SEC-4UD-GB-72 SEC-4UD-LB-72 SEC-4UD-LG-72 SEC-4UD-PO-72 SEC-4UD-SR-72 SEC-4UD-SY-72 SEC-4UD-TX-72
6 Power Configurations - Corded		
• 6 Power with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6-B-72 SEC-6-S-72 SEC-6-GW-72 SEC-6-GB-72 SEC-6-LB-72 SEC-6-LG-72 SEC-6-PO-72 SEC-6-SR-72 SEC-6-SY-72 SEC-6-TX-72
• 6 Power, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6D-B-72 SEC-6D-S-72 SEC-6D-GW-72 SEC-6D-GB-72 SEC-6D-LB-72 SEC-6D-LG-72 SEC-6D-PO-72 SEC-6D-SR-72 SEC-6D-SY-72 SEC-6D-TX-72
• 6 Power, 2 USB with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U-B-72 SEC-6U-S-72 SEC-6U-GW-72 SEC-6U-GB-72 SEC-6U-LB-72 SEC-6U-LG-72 SEC-6U-PO-72 SEC-6U-SR-72 SEC-6U-SY-72 SEC-6U-TX-72
• 6 Power, 2 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2C-B-72 SEC-6U2C-S-72 SEC-6U2C-GW-72 SEC-6U2C-GB-72 SEC-6U2C-LB-72 SEC-6U2C-LG-72 SEC-6U2C-PO-72 SEC-6U2C-SR-72 SEC-6U2C-SY-72 SEC-6U2C-TX-72

Note: Up-charges apply with cord length changes. Replace "72" at end of part number with 108" or 144" cord or additional lengths. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
6 Power Configurations (Continued) - Corded		
• 6 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2CD-B-72 SEC-6U2CD-S-72 SEC-6U2CD-GW-72 SEC-6U2CD-GB-72 SEC-6U2CD-LB-72 SEC-6U2CD-LG-72 SEC-6U2CD-PO-72 SEC-6U2CD-SR-72 SEC-6U2CD-SY-72 SEC-6U2CD-TX-72
• 6 Power, 1 USB , 1 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6UAC-B-72 SEC-6UAC-S-72 SEC-6UAC-GW-72 SEC-6UAC-GB-72 SEC-6UAC-LB-72 SEC-6UAC-LG-72 SEC-6UAC-PO-72 SEC-6UAC-SR-72 SEC-6UAC-SY-72 SEC-6UAC-TX-72
• 6 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6UACD-B-72 SEC-6UACD-S-72 SEC-6UACD-GW-72 SEC-6UACD-GB-72 SEC-6UACD-LB-72 SEC-6UACD-LG-72 SEC-6UACD-PO-72 SEC-6UACD-SR-72 SEC-6UACD-SY-72 SEC-6UACD-TX-72
• 6 Power, 2 USB , 2 USB -C with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2AC-B-72 SEC-6U2AC-S-72 SEC-6U2AC-GW-72 SEC-6U2AC-GB-72 SEC-6U2AC-LB-72 SEC-6U2AC-LG-72 SEC-6U2AC-PO-72 SEC-6U2AC-SR-72 SEC-6U2AC-SY-72 SEC-6U2AC-TX-72
• 6 Power, 2 USB , 2 USB -C, 1 Telecom Plate Knockout with 72" cord	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2ACD-B-72 SEC-6U2ACD-S-72 SEC-6U2ACD-GW-72 SEC-6U2ACD-GB-72 SEC-6U2ACD-LB-72 SEC-6U2ACD-LG-72 SEC-6U2ACD-PO-72 SEC-6U2ACD-SR-72 SEC-6U2ACD-SY-72 SEC-6U2ACD-TX-72

Note: Up-charges apply with cord length changes. Replace "72" at end of part number with 108" or 144" cord or additional lengths. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
2 Power Configurations- Hardwired		
• 2 Power with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2-B-HW6 SEC-2-S-HW6 SEC-2-GW-HW6 SEC-2-GB-HW6 SEC-2-LB-HW6 SEC-2-LG-HW6 SEC-2-PO-HW6 SEC-2-SR-HW6 SEC-2-SY-HW6 SEC-2-TX-HW6
• 2 Power, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2D-B-HW6 SEC-2D-S-HW6 SEC-2D-GW-HW6 SEC-2D-GB-HW6 SEC-2D-LB-HW6 SEC-2D-LG-HW6 SEC-2D-PO-HW6 SEC-2D-SR-HW6 SEC-2D-SY-HW6 SEC-2D-TX-HW6
• 2 Power, 2 USB with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2U-B-HW6 SEC-2U-S-HW6 SEC-2U-GW-HW6 SEC-2U-GB-HW6 SEC-2U-LB-HW6 SEC-2U-LG-HW6 SEC-2U-PO-HW6 SEC-2U-SR-HW6 SEC-2U-SY-HW6 SEC-2U-TX-HW6
• 2 Power, 2 USB , 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2UD-B-HW6 SEC-2UD-S-HW6 SEC-2UD-GW-HW6 SEC-2UD-GB-HW6 SEC-2UD-LB-HW6 SEC-2UD-LG-HW6 SEC-2UD-PO-HW6 SEC-2UD-SR-HW6 SEC-2UD-SY-HW6 SEC-2UD-TX-HW6
• 2 Power, 2 USB -C with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2U2C-B-HW6 SEC-2U2C-S-HW6 SEC-2U2C-GW-HW6 SEC-2U2C-GB-HW6 SEC-2U2C-LB-HW6 SEC-2U2C-LG-HW6 SEC-2U2C-PO-HW6 SEC-2U2C-SR-HW6 SEC-2U2C-SY-HW6 SEC-2U2C-TX-HW6
• 2 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2U2CD-B-HW6 SEC-2U2CD-S-HW6 SEC-2U2CD-GW-HW6 SEC-2U2CD-GB-HW6 SEC-2U2CD-LB-HW6 SEC-2U2CD-LG-HW6 SEC-2U2CD-PO-HW6 SEC-2U2CD-SR-HW6 SEC-2U2CD-SY-HW6 SEC-2U2CD-TX-HW6

Note: Up-charges apply with Hardwire conduit length changes. Replace "HW6" (72") at end of part number with "HW9" or "HW12" for 108" or 144", respectively. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
2 Power Configurations (Continued) - Hardwired		
• 2 Power, 1 USB , 1 USB -C with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2UAC-B-HW6 SEC-2UAC-S-HW6 SEC-2UAC-GW-HW6 SEC-2UAC-GB-HW6 SEC-2UAC-LB-HW6 SEC-2UAC-LG-HW6 SEC-2UAC-PO-HW6 SEC-2UAC-SR-HW6 SEC-2UAC-SY-HW6 SEC-2UAC-TX-HW6
• 2 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-2UACD-B-HW6 SEC-2UACD-S-HW6 SEC-2UACD-GW-HW6 SEC-2UACD-GB-HW6 SEC-2UACD-LB-HW6 SEC-2UACD-LG-HW6 SEC-2UACD-PO-HW6 SEC-2UACD-SR-HW6 SEC-2UACD-SY-HW6 SEC-2UACD-TX-HW6
4 Power Configurations - Hardwired		
• 4 Power with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4-B-HW6 SEC-4-S-HW6 SEC-4-GW-HW6 SEC-4-GB-HW6 SEC-4-LB-HW6 SEC-4-LG-HW6 SEC-4-PO-HW6 SEC-4-SR-HW6 SEC-4-SY-HW6 SEC-4-TX-HW6
• 4 Power, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4D-B-HW6 SEC-4D-S-HW6 SEC-4D-GW-HW6 SEC-4D-GB-HW6 SEC-4D-LB-HW6 SEC-4D-LG-HW6 SEC-4D-PO-HW6 SEC-4D-SR-HW6 SEC-4D-SY-HW6 SEC-4D-TX-HW6
• 4 Power, 2 USB with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U-B-HW6 SEC-4U-S-HW6 SEC-4U-GW-HW6 SEC-4U-GB-HW6 SEC-4U-LB-HW6 SEC-4U-LG-HW6 SEC-4U-PO-HW6 SEC-4U-SR-HW6 SEC-4U-SY-HW6 SEC-4U-TX-HW6
• 4 Power, 2 USB -C with 72" Metal Flex Conduit	Black Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-4U2C-B-HW6 SEC-4U2C-S-HW6 SEC-4U2C-GW-HW6 SEC-4U2C-GB-HW6 SEC-4U2C-LB-HW6 SEC-4U2C-LG-HW6 SEC-4U2C-PO-HW6 SEC-4U2C-SR-HW6 SEC-4U2C-SY-HW6 SEC-4U2C-TX-HW6

Note: Up-charges apply with Hardwire conduit length changes. Replace "HW6" (72") at end of part number with "HW9" or "HW12" for 108" or 144", respectively. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
4 Power Configurations (Continued) - Hardwired		
• 4 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-4U2CD-B-HW6
	Silver Pearl	SEC-4U2CD-S-HW6
	Gloss White	SEC-4U2CD-GW-HW6
	Gloss Black	SEC-4U2CD-GB-HW6
	Light Blue	SEC-4U2CD-LB-HW6
	Light Green	SEC-4U2CD-LG-HW6
	Pure Orange	SEC-4U2CD-PO-HW6
	Signal Red	SEC-4U2CD-SR-HW6
	Sulfur Yellow	SEC-4U2CD-SY-HW6
	Tuxedo	SEC-4U2CD-TX-HW6
• 4 Power, 1 USB , 1 USB -C with 72" Metal Flex Conduit	Black	SEC-4UAC-B-HW6
	Silver Pearl	SEC-4UAC-S-HW6
	Gloss White	SEC-4UAC-GW-HW6
	Gloss Black	SEC-4UAC-GB-HW6
	Light Blue	SEC-4UAC-LB-HW6
	Light Green	SEC-4UAC-LG-HW6
	Pure Orange	SEC-4UAC-PO-HW6
	Signal Red	SEC-4UAC-SR-HW6
	Sulfur Yellow	SEC-4UAC-SY-HW6
	Tuxedo	SEC-4UAC-TX-HW6
• 4 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-4UACD-B-HW6
	Silver Pearl	SEC-4UACD-S-HW6
	Gloss White	SEC-4UACD-GW-HW6
	Gloss Black	SEC-4UACD-GB-HW6
	Light Blue	SEC-4UACD-LB-HW6
	Light Green	SEC-4UACD-LG-HW6
	Pure Orange	SEC-4UACD-PO-HW6
	Signal Red	SEC-4UACD-SR-HW6
	Sulfur Yellow	SEC-4UACD-SY-HW6
	Tuxedo	SEC-4UACD-TX-HW6
• 4 Power, 2 USB , 2 USB -C with 72" Metal Flex Conduit	Black	SEC-4U2AC-B-HW6
	Silver Pearl	SEC-4U2AC-S-HW6
	Gloss White	SEC-4U2AC-GW-HW6
	Gloss Black	SEC-4U2AC-GB-HW6
	Light Blue	SEC-4U2AC-LB-HW6
	Light Green	SEC-4U2AC-LG-HW6
	Pure Orange	SEC-4U2AC-PO-HW6
	Signal Red	SEC-4U2AC-SR-HW6
	Sulfur Yellow	SEC-4U2AC-SY-HW6
	Tuxedo	SEC-4U2AC-TX-HW6
• 4 Power, 2 USB , 2 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-4U2ACD-B-HW6
	Silver Pearl	SEC-4U2ACD-S-HW6
	Gloss White	SEC-4U2ACD-GWHW6
	Gloss Black	SEC-4U2ACD-GBHW6
	Light Blue	SEC-4U2ACD-LBHW6
	Light Green	SEC-4U2ACD-LGHW6
	Pure Orange	SEC-4U2ACD-POHW6
	Signal Red	SEC-4U2ACD-SRHW6
	Sulfur Yellow	SEC-4U2ACD-SYHW6
	Tuxedo	SEC-4U2ACD-TXHW6
• 4 Power, 4 USB with 72" Metal Flex Conduit	Black	SEC-44U-B-HW6
	Silver Pearl	SEC-44U-S-HW6
	Gloss White	SEC-44U-GW-HW6
	Gloss Black	SEC-44U-GB-HW6
	Light Blue	SEC-44U-LB-HW6
	Light Green	SEC-44U-LG-HW6
	Pure Orange	SEC-44U-PO-HW6
	Signal Red	SEC-44U-SR-HW6
	Sulfur Yellow	SEC-44U-SY-HW6
	Tuxedo	SEC-44U-TX-HW6

Note: Up-charges apply with Hardwire conduit length changes. Replace "HW6" (72") at end of part number with "HW9" or "HW12" for 108" or 144", respectively. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
4 Power Configurations (Continued) - Hardwired		
• 4 Power, 4 USB , 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-44UD-B-HW6
	Silver Pearl	SEC-44UD-S-HW6
	Gloss White	SEC-44UD-GWHW6
	Gloss Black	SEC-44UD-GBHW6
	Light Blue	SEC-44UD-LBHW6
	Light Green	SEC-44UD-LGHW6
	Pure Orange	SEC-44UD-POHW6
	Signal Red	SEC-44UD-SRHW6
	Sulfur Yellow	SEC-44UD-SYHW6
	Tuxedo	SEC-44UD-TXHW6
• 4 Power, 2 USB , 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-4UD-B-HW6
	Silver Pearl	SEC-4UD-S-HW6
	Gloss White	SEC-4UD-GW-HW6
	Gloss Black	SEC-4UD-GB-HW6
	Light Blue	SEC-4UD-LB-HW6
	Light Green	SEC-4UD-LG-HW6
	Pure Orange	SEC-4UD-PO-HW6
	Signal Red	SEC-4UD-SR-HW6
	Sulfur Yellow	SEC-4UD-SY-HW6
	Tuxedo	SEC-4UD-TX-HW6
6 Power Configurations - Hardwired		
• 6 Power with 72" Metal Flex Conduit	Black	SEC-6-B-HW6
	Silver Pearl	SEC-6-S-HW6
	Gloss White	SEC-6-GW-HW6
	Gloss Black	SEC-6-GB-HW6
	Light Blue	SEC-6-LB-HW6
	Light Green	SEC-6-LG-HW6
	Pure Orange	SEC-6-PO-HW6
	Signal Red	SEC-6-SR-HW6
	Sulfur Yellow	SEC-6-SY-HW6
	Tuxedo	SEC-6-TX-HW6
• 6 Power, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-6D-B-HW6
	Silver Pearl	SEC-6D-S-HW6
	Gloss White	SEC-6D-GW-HW6
	Gloss Black	SEC-6D-GB-HW6
	Light Blue	SEC-6D-LB-HW6
	Light Green	SEC-6D-LG-HW6
	Pure Orange	SEC-6D-PO-HW6
	Signal Red	SEC-6D-SR-HW6
	Sulfur Yellow	SEC-6D-SY-HW6
	Tuxedo	SEC-6D-TX-HW6
• 6 Power, 2 USB with 72" Metal Flex Conduit	Black	SEC-6U-B-HW6
	Silver Pearl	SEC-6U-S-HW6
	Gloss White	SEC-6U-GW-HW6
	Gloss Black	SEC-6U-GB-HW6
	Light Blue	SEC-6U-LB-HW6
	Light Green	SEC-6U-LG-HW6
	Pure Orange	SEC-6U-PO-HW6
	Signal Red	SEC-6U-SR-HW6
	Sulfur Yellow	SEC-6U-SY-HW6
	Tuxedo	SEC-6U-TX-HW6
• 6 Power, 2 USB -C with 72" Metal Flex Conduit	Black	SEC-6U2C-B-HW6
	Silver Pearl	SEC-6U2C-S-HW6
	Gloss White	SEC-6U2C-GWHW6
	Gloss Black	SEC-6U2C-GBHW6
	Light Blue	SEC-6U2C-LBHW6
	Light Green	SEC-6U2C-LGHW6
	Pure Orange	SEC-6U2C-POHW6
	Signal Red	SEC-6U2C-SRHW6
	Sulfur Yellow	SEC-6U2C-SYHW6
	Tuxedo	SEC-6U2C-TXHW6

Note: Up-charges apply with Hardwire conduit length changes. Replace "HW6" (72") at end of part number with "HW9" or "HW12" for 108" or 144", respectively. Tuxedo configuration includes black housing with white receptacles.



DESCRIPTION	FINISH	PART NUMBER
6 Power Configurations (Continued) - Hardwired		
• 6 Power, 2 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-6U2CD-BHW6
	Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2CD-SHW6 SEC-6U2CD-GWHW6 SEC-6U2CD-GBHW6 SEC-6U2CD-LBHW6 SEC-6U2CD-LGHW6 SEC-6U2CD-POHW6 SEC-6U2CD-SRHW6 SEC-6U2CD-SYHW6 SEC-6U2CD-TXHW6
• 6 Power, 1 USB , 1 USB -C with 72" Metal Flex Conduit	Black	SEC-6UAC-BHW6
	Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6UAC-SHW6 SEC-6UAC-GWHW6 SEC-6UAC-GBHW6 SEC-6UAC-LBHW6 SEC-6UAC-LGHW6 SEC-6UAC-POHW6 SEC-6UAC-SRHW6 SEC-6UAC-SYHW6 SEC-6UAC-TXHW6
• 6 Power, 1 USB , 1 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-6UACD-BHW6
	Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6UACD-SHW6 SEC-6UACD-GWHW6 SEC-6UACD-GBHW6 SEC-6UACD-LBHW6 SEC-6UACD-LGHW6 SEC-6UACD-POHW6 SEC-6UACD-SRHW6 SEC-6UACD-SYHW6 SEC-6UACD-TXHW6
• 6 Power, 2 USB , 2 USB -C with 72" Metal Flex Conduit	Black	SEC-6U2AC-BHW6
	Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2AC-SHW6 SEC-6U2AC-GWHW6 SEC-6U2AC-GBHW6 SEC-6U2AC-LBHW6 SEC-6U2AC-LGHW6 SEC-6U2AC-POHW6 SEC-6U2AC-SRHW6 SEC-6U2AC-SYHW6 SEC-6U2AC-TXHW6
• 6 Power, 2 USB , 2 USB -C, 1 Telecom Plate Knockout with 72" Metal Flex Conduit	Black	SEC-6U2ACD-BHW6
	Silver Pearl Gloss White Gloss Black Light Blue Light Green Pure Orange Signal Red Sulfur Yellow Tuxedo	SEC-6U2ACD-SHW6 SEC-6U2ACD-GWHW6 SEC-6U2ACD-GBHW6 SEC-6U2ACD-LBHW6 SEC-6U2ACD-LGHW6 SEC-6U2ACD-POHW6 SEC-6U2ACD-SRHW6 SEC-6U2ACD-SYHW6 SEC-6U2ACD-TXHW6

Note: Up-charges apply with Hardwire conduit length changes. Replace "HW6" (72") at end of part number with "HW9" or "HW12" for 108" or 144", respectively. Tuxedo configuration includes black housing with white receptacles.

DESCRIPTION	FINISH	PART NUMBER
Mounting Accessories- Choice of One Included Complimentary with Purchase of Each Seclusion® G2 Unit		
• Bracket	Black	SEC-BRKT
	Gloss White	SEC-BRKT-GW
• Clamp	Black	SEC-CLAMP
	Gloss White	SEC-CLAMP-GW
• Grommet	Black	SEC-GROM-MT-B
	Gloss White	SEC-GROM-MT-GW
• Feet	Black	SEC-FEET-B
	Gloss White	SEC-FEET-GW

Hide-It Kit Basket Grommet Accessory

• Large - Hide It Kit, includes 9"x 5" grommet and cable basket with two telecom plate knockouts	Silver Pearl	HIDEIT-L-S-K
	Black	HIDEIT-L-B-K
	Gloss White Aluminum	HIDEIT-L-GW-K HIDEIT-L-AL-K
• Small - Hide It Kit, includes 6"x 5" grommet and cable basket with two telecom plate knockouts	Silver Pearl	HIDEIT-S-S-K
	Black	HIDEIT-S-B-K
	Gloss White Aluminum	HIDEIT-S-GW-K HIDEIT-S-AL-K