

# MOUNTING OPTIONS

The way we work is constantly changing — and having versatile power solutions that are able to adapt to wherever you work, play, and live is more important than ever. That's why our Dekko Family of Brands offers a variety of mounting options. So you can get the power you need, where you need it.



- **On-Surface**
  - Clamp-On
  - Portable/Freestanding
- **In-Surface**
  - Bezel/Flush
  - Grommet
- **Below-Surface**
  - Undermount

# ON-SURFACE

## Clamp-On

Clamp-On settings provide flexibility to secure the power unit to the edge of the work surface allowing the user to reposition as demands and needs change.



Ashley™ Link 60



Seclusion® G2 Series



FLC-1100

## Portable/Freestanding

Portable, or Freestanding, settings offer free range of motion to move or reposition the power unit to any desired location without having to unscrew or uninstall the unit from a surface.



Luna



Isle™ G2

# IN-SURFACE

## Bezel/Flush

Bezel is a setting in which the unit lays nearly flush to the surface, generally has a minimalistic metal trim/faceplate that holds the unit recessed into the surface. Flush is a setting in which the product lays completely flat against the application surface, no material overhang. These types of mountings require surface cutouts for proper product installation, where the product is dropped into the cutout from above the surface.



Ashley Duo Wedge™



Cove™ Series



F-739

## Grommet

Grommet setting firmly fits products within the circular surface cutout. It can also be in reference to a product covering/storage component that includes a bezeled trim. This type of mounting requires a surface cutout for installation, where the product is then dropped into the cutout from the above surface.



Sand Dollar



Seclusion® G2 Series with Grommet Mount



# BELOW-SURFACE

## Undermount

Undermount setting is when product is permanently affixed to any area underneath the application surface (desk, panel, table etc.) for discreet power access. Undermount products are perfect for those who do not have the capabilities of making surface cutouts or simply looking for an alternative to on-surface access. These units are mounted to the underside of the cutout for an edge-free aesthetic. Note, some undermount products still may require cutouts.



Ashley Quad™ Series



Villa™ UM Series



F-714