Ashley™ Inline Series



Power in High Places.


ENHANCING THE MOMENTUM

Designed to move with height-adjustable tables, AshleyTM InLine supplies up to eight power outlets at a time—all with a single cord to the wall. This streamlined offering provides 4 or 6 AC outlets mounted under the work surface paired with various Ashley Series units - offering up to 4 additional AC power outlets and USB charging ports above the surface.

Perfect for powering monitors or providing power at desk height on mobile tables. InLine supplies power to devices, tablets, computers, and phones seamlessly and eliminates the clutter once and for all.

Ashley™ Inline is UL 962A Listed.





FEATURES:

Applications - Inline

Under-mount

Standard Metal Trim & Bracket Finishes

Black

Standard Plastic Colors

Black




Specifications


- 4 or 6 15A, 120V AC Power Outlets
- 15 Amp Circuit Breaker
- 2 Cord Lengths Per Unit: 2' 3' From Ashley Unit to Inline Box and 6' 10' From Inline Box to Power Source
- Compatible with Ashley Product Offering
 (See Individual Product Sell Sheets for Specifications)

- No Table Cutout Required *(Exception: Ashley Duo Air and Ashley Duo Wedge)*
- UL 962A Listed

Dimensions

- AshleyTM Inline 4 Power Box Dimensions: $9.00'' \times 2.50'' \times 2.05''$
- AshleyTM Inline 6 Power Box Dimensions: $11.75'' \times 2.50'' \times 2.05''$
- "X" (See Figure Below) is Specified Distance from Ashley Unit to Inline Box = 2' or 3'
- "Y" (See Figure Below) is Specified Distance from Inline Box to Power Source = 6' or 10'







DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY UNO INLINE - 4 POWER			
Clamp mount unit with 1 Power and 2 USB-A 2.1 Amp Charging Ports. Includes Ashley Uno and InLine under-mounted unit with 4 convenience outlets. Various cord lengths available. (Clamp and screws included)	2'- 6' Corded	Black/Black White/Silver White/White	305125.22.04.01 305125.22.57.01 305125.22.VW.01
	3'- 6' Corded	Black/Black White/Silver White/White	305125.22.04.02 305125.22.57.02 305125.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305125.22.04.05 305125.22.57.05 305125.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305125.22.04.06 305125.22.57.06 305125.22.VW.06
Clamp mount unit with 1 Power, 1 USB-A 2.4 Amp & 1 60-Watt USB-C Power Delivery Charging Ports. Includes Ashley Uno and Inline under-mounted unit with 4 convenience outlets. Various cord lengths available. (Clamp and	2'- 6' Corded	Black/Black White/Silver White/White	305212.22.04.01 305212.22.01.01 305212.22.VW.01
screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305212.22.04.02 305212.22.01.02 305212.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305212.22.04.05 305212.22.57.05 305212.22.VW.05
	3′ - 10′ Corded	Black/Black White/Silver White/White	305212.22.04.06 305212.22.57.06 305212.22.VW.06

DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY UNO INLINE - 6 POWER			
Clamp mount unit with 1 Power and 2 USB-A 2.1	2'- 6' Corded	Black/Black	305125.36.04.01
Amp Charging Ports. Includes Ashley Uno and		White/Silver	305125.36.57.01
InLine under-mounted unit with 6 convenience outlets. Various cord lengths available. (Clamp and screws included)		White/White	305125.36.VW.01
and screws included)	3'- 6' Corded	Black/Black	305125.36.04.02
	3 - 0 Colded	White/Silver	305125.36.57.02
		White/White	305125.36.VW.02
	2' - 10' Corded	Plank /Plank	205105 27 04 05
	2 .0 00.000	Black/Black White/Silver	305125.36.04.05
		White/White	305125.36.57.05
		vviille/ vviille	305125.36.VW.05
	3′ - 10′ Corded	Black/Black	305125.36.04.06
		White/Silver	305125.36.57.06
		White/White	305125.36.VW.06
Clamp mount unit with 1 Power, 1 USB-A 2.4	2'- 6' Corded	Black/Black	305212.36.04.01
Amp & 1 60-Watt USB-C Power Delivery		White/Silver	305212.36.01.01
Charging Ports. Includes Ashley Uno and Inline under-mounted unit with 6 convenience outlets. Various cord lengths available. (Clamp and		White/White	305212.36.VW.01
screws included)	3'- 6' Corded	Black/Black	305212.36.04.02
		White/Silver	305212.36.01.02
		White/White	305212.36.VW.02
	2′ - 10′ Corded	Black/Black	305212.36.04.05
		White/Silver	305212.36.57.05
		White/White	305212.36.VW.05
	3' - 10' Corded	Black/Black	305212.36.04.06
		White/Silver	305215.36.57.06
		White/White	305212.36.VW.06

DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY DUO INLINE - 4 POWER			
Clamp mount unit with 2 Power and 2 USB-A 2.1 Amp Charging Ports. Includes Ashley Duo and InLine under-mounted unit with 4 convenience outlets. Various cord lengths available. (Clamp	2′- 6′ Corded	Black/Black White/Silver White/White	305050.22.04.01 305050.22.57.01 305050.22.VW.01
and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305050.22.04.02 305050.22.57.02 305050.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305050.22.04.05 305050.22.57.05 305050.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305050.22.04.06 305050.22.57.06 305050.22.VW.06
 Clamp mount unit with 2 Power, 1 USB-A 2.4 Amp & 1 60-Watt USB-C Power Delivery Charging Ports. Includes Ashley Duo and Inline under-mounted unit with 4 convenience outlets. Various cord lengths available. (Clamp and 	2'- 6' Corded	Black/Black White/Silver White/White	305205.22.04.01 305205.22.01.01 305205.22.VW.01
screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305205.22.04.02 305205.22.01.02 305205.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305205.22.04.05 305205.22.57.05 305205.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305205.22.04.06 305205.22.57.06 305205.22.VW.06

ESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
SHLEY DUO INLINE - 6 POWER			
Clamp mount unit with 2 Power and 2 USB-A 2.1	2'- 6' Corded	Black/Black	305050.36.04.01
Amp Charging Ports. Includes Ashley Duo and		White/Silver	305050.36.57.01
InLine under-mounted unit with 6 convenience outlets. Various cord lengths available. (Clamp and screws included)		White/White	305050.36.VW.0
ana screws included)	3'- 6' Corded	Black/Black	305050.36.04.02
	o o coraca	White/Silver	305050.36.57.02
		White/White	305050.36.VW.0
	2' - 10' Corded	Black/Black	305050.36.04.0
		White/Silver	
		White/White	305050.36.57.03 305050.36.VW.0
	3' - 10' Corded	Black/Black	305050.36.04.0
		White/Silver	305050.36.57.0
		White/White	305050.36.VW.0
Clamp mount unit with 2 Power, 1 USB-A 2.4	2'- 6' Corded	Black/Black	305205.36.04.0
Amp & 1 60-Watt USB-C Power Delivery		White/Silver	305205.36.01.0
Charging Ports. Includes Ashley Duo and Inline under-mounted unit with 6 convenience outlets. Various cord lengths available. (Clamp and		White/White	305205.36.VW.0
screws included)	3'- 6' Corded	Black/Black	305205.36.04.0
		White/Silver	305205.36.01.02
		White/White	305205.36.VW.0
	2' - 10' Corded	Black/Black	305205.36.04.0
		White/Silver	305205.36.57.0
		White/White	305205.36.VW.0
	3' - 10' Corded	Black/Black	305205.36.04.0
		White/Silver	305205.362.57.0
		White/White	305205.36.VW.0

DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY TRIO INLINE - 4 POWER			
Clamp mount unit with 3 Power and 2 USB-A 2.1 Amp Charging Ports and 1 Data Knockout with data Adapter Kit (connectors sold separately). Includes Ashley Trio and InLine under-mounted	2'- 6' Corded	Black/Black White/Silver White/White	305053.22.04.01 305053.22.57.01 305053.22.VW.01
unit with 4 convenience outlets. Various cord lengths available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305053.22.04.02 305053.22.57.02 305053.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305053.22.04.05 305053.22.57.05 305053.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305053.22.04.06 305053.22.57.06 305053.22.VW.06
 Clamp mount unit with 3 Power, 1 USB-A 2.4 Amp & 1 60-Watt USB-C Power Delivery Charging Ports and 1 Data Knockout with data Adapter Kit (connectors sold separately). Includes Ashley Trio and Inline under-mounted unit with 	2'- 6' Corded	Black/Black White/Silver White/White	305217.22.04.01 305217.22.01.01 305217.22.VW.01
4 convenience outlets. Various cord lengths available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305217.22.04.02 305217.22.01.02 305217.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305217.22.04.05 305217.22.57.05 305217.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305217.22.04.06 305217.22.57.06 305217.22.VW.06

DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY QUAD INLINE - 4 POWER			
Clamp mount unit with 4 Power and 2 USB-A 2.1 Amp Charging Ports, 2 Data Knockouts with Data Adapter Kit (connectors sold separately). Includes	2'- 6' Corded	Black/Black White/Silver White/White	305095.22.04.01 305095.22.57.01 305095.22.VW.01
Ashley Quad and InLine under-mounted unit with 4 convenience outlets. Various cord lengths available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305095.22.04.02 305095.22.57.02 305095.22.VW.02
	2′ - 10′ Corded	Black/Black White/Silver White/White	305095.22.04.05 305095.22.57.05 305095.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305095.22.04.06 305095.22.57.06 305095.22.VW.06
ASHLEY DUO AIR INLINE - 4 POWE	R		
 Pop-up bezel unit with 2 Power and 2 USB-A 2.1 Amp Charging Ports. Includes Ashley Duo Air and under-mounted unit with 4 convenience outlets. Various cord lengths available. 	2'- 6' Corded	Black/Black White/Silver White/White	305070.22.04.01 305070.22.57.01 305070.22.VW.01
* Requires Table Cutout	3'- 6' Corded	Black/Black White/Silver White/White	305070.22.04.02 305070.22.57.02 305070.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305070.22.04.05 305070.22.57.05 305070.22.VW.05
	3′ - 10′ Corded	Black/Black White/Silver White/White	305070.22.04.06 305070.22.57.06 305070.22.VW.06

DESCRIPTION	CORDED	PLASTIC FACE/METAL TRIM	MODEL
ASHLEY 210 INLINE - 4 POWER			
 Clamp mount unit with 2 Power and 2 USB-A 2.1 Amp Charging Ports. Includes Ashley 210 unit and under-mounted InLine unit with 4 convenience outlets. Various cord lengths 	2'- 6' Corded	Black/Black White/Silver White/White	305094.22.04.01 305094.22.57.01 305094.22.57.01
available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305094.22.04.02 305094.22.57.02 305094.22.VW.02
	2′ - 10′ Corded	Black/Black White/Silver White/White	305094.22.04.05 305094.22.57.05 305094.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305094.22.04.06 305094.22.57.06 305094.22.VW.06
Clamp mount unit with 2 Power, 1 USB-A 2.4 Amp & 1 60-Watt USB-C Power Delivery Charging Ports. Includes Ashley 210 and Inline under-mounted unit with 4 convenience outlets.	2'- 6' Corded	Black/Black White/Silver White/White	305210.22.04.01 305210.22.01.01 305210.22.VW.01
Various cord lengths available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305210.22.04.02 305210.22.01.02 305210.22.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305210.22.04.05 305210.22.57.05 305210.22.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305210.22.04.06 305210.22.57.06 305210.22.VW.06

LENGTHS FINISH

DESCRIPTION	LENGTHS CORDED	FINISH PLASTIC FACE/METAL TRIM	MODEL
ASHLEY 210 INLINE - 6 POWER			
 Clamp mount unit with 2 Power and 2 USB-A 2.1 Amp Charging Ports. Includes Ashley 210 unit and under-mounted InLine unit with 6 convenience outlets. Various cord lengths available. (Clamp and screws included) 	2'- 6' Corded	Black/Black White/Silver White/White	305094.36.04.01 305094.36.57.01 305094.36.57.01
	3'- 6' Corded	Black/Black White/Silver White/White	305094.36.04.02 305094.36.57.02 305094.36.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305094.36.04.05 305094.36.57.05 305094.36.VW.05
	3' - 10' Corded	Black/Black White/Silver White/White	305094.36.04.06 305094.36.57.06 305094.36.VW.06
Clamp mount unit with 2 Power, 1 USB-A 2.4 Amp & 1 60-Watt USB-C Power Delivery Charging Ports. Includes Ashley 210 and Inline under-mounted unit with 6 convenience outlets.	2'- 6' Corded	Black/Black White/Silver White/White	305210.36.04.01 305210.36.01.01 305210.36.VW.01
Various cord lengths available. (Clamp and screws included)	3'- 6' Corded	Black/Black White/Silver White/White	305210.36.04.02 305210.36.01.02 305210.36.VW.02
	2' - 10' Corded	Black/Black White/Silver White/White	305210.36.04.05 305210.36.57.05 305210.36.VW.05
	3′ - 10′ Corded	Black/Black White/Silver White/White	305210.36.04.06 305210.36.57.06 305210.36.VW.06

ASHLEY 202 INLINE - 4 POWER

 Clamp mount unit with 2 Power Knockouts with Data Adapter K sold separately). Includes Ashle under-mounted unit with 4 conv 	it (connectors ey 202 and InLine	Black/Black White/Silver White/White	305093.22.04.01 305093.22.57.01 305093.22.VW.01
Various cord lengths available. screws included)	(Clamp and 3'- 6' Corded	Black/Black White/Silver White/White	305093.22.04.02 305093.22.57.02 305093.22.VW.02
	2′ - 10′ Corded	Black/Black White/Silver White/White	305093.22.04.05 305093.22.57.05 305093.22.VW.05
	3′ - 10′ Corded	Black/Black White/Silver White/White	305093.22.04.06 305093.22.57.06 305093.22.VW.06

SPECIFICATION INSTRUCTIONS

TO ORDER PLEASE SPECIFY THE FOLLOWING

tep 1:	Step 2:			Step 3:	:
ase Model # (Part Number)	Finish Options		NEMA Plug Lengths		
	Code	Plastic Face/Metal Trim	Cord Color	Code	Cord Length X/Y
EXAMPLE	.04	Black/Black Black/Silver	Black Black	.01 .02	2'(X), 6'(Y) 3'(X), 6'(Y)
	.08	Gray/Black	Black	.05	2'(X), 10'(Y)
	.01	Gray/Silver	Black	.06	3'(X), 10'(Y)
	.05	Gray/White	Black		
305050.22.57.06	.03	White/Black	White	Contact S	alesperson For
	.57	White/Silver	White		Cord Options
B 44 11 4 11 B	.VW	White/White	White	Additional	Cora Options
Base Model: Ashley Duo	.60	White/Bronze	White		
Finish Option: White/Silver	.64	White/Carbon	White		
Cord Length: 3' - 10'	.65	White/Latte	White		
	.66	Black/Bronze	Black		
	.67	Gray/Carbon	Black		
	.68	Black/Latte	Black		
	.69	Black/Carbon	Black		

