INTERACT G2 SERIES
CORDED & HARDWIRED

BRINGING THE TEAM **TOGETHER**

PRODUCTIVITY-ENHANCING SOLUTIONS FOR COLLAB SPACES

Create powerful connections with the convenience of Interact G2 Series. Available as an in-surface or under table (UT) unit, Interact G2 provides curated power, data and USB charging options essential to collaborative spaces. A convenience outlet and two additional openings on the underside of the unit accommodate additional inserts for audio/visual options and cable pass thru's for additional wire management.

ECA BY DEKKO

FEATURES:

Mounting Capabilities
Bezel/In-Surface
Under Table (UT)

Applications
Conference/Meeting
Collaborative Spaces

Standard Finishes
Silver
Black
White

Specialty Finishes*
Brushed Aluminum
Brushed Stainless Steel
Bronze
Latte
Carbon

**Trim Kit Lid Finishes**
(For UT Version Only)
Frosted Glass
Brushed Aluminum

*Interested in our specialty finishes?
Contact us for details.

**IN-SURFACE
CORDED**

**UNDER TABLE
HARDWIRED**
*(WITHOUT LID
SHOWN)*

Mounting capabilities on following page...

UNIT SPECIFICATIONS:

- 15A/120V AC Receptacles
- (1) 2.4A Reversible USB-A Charging Port & (1) 60-Watt USB-C Power Delivery Port with GaN Technology *(Available on Select Models)*
- Dual 2.4A Reversible USB-A Charging Ports *(Available on Select Hardwired Models)*
- Data Knockouts *(Keystone Data Options Available; Purchased Separately)*
- Convenience Outlet
- Customizable Telecom Plate Knockout *(Plates Purchased Separately)*
- Cord Pass Thru's for Cord Management
- Standard Cord and Hardwired Whip Lengths: 72"
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout:
    - In-Surface Model - 9.125" x 4.75"
    - UT Unit Model - 8.75" x 4.5"
- Listed for US and Canada

INTERACT G2 UT TRIM & LID PIVOT KIT SPECIFICATIONS:

- **For Use with Under Table (UT) Models Only**
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Interact G2 UT Surface Cutout *(Listed in Specs Above)*
- Fits Surface Thicknesses: 0.75" - 2.0"
- Frosted Glass or Brushed Aluminum Lid - Must Be Used with Trim Pivot Kit *(Purchased Separately)*
    - Lid Thickness: 0.25"

Note: When using Interact G2 UT, the interior of the cutout is exposed. We suggest finishing external edge.

ECA
BY DEKKO

In-Surface/Bezel *(Featured to the right)* -

- Easily integrate Interact G2 tabletop unit directly into the surface cutout. This model comes standardly equipped with a hinged lid with brushed liner trim to prevent dust and debris from falling through the opening. The lid flips up for access and can remain open when in use, and provides a clean aesthetic when closed.

Under Table (UT) *(Featured to the left)* -

- As the name implies, Interact G2 UT secures to the underside of the application for a completely flush finish. When paired with the optional Trim & Lid Pivot Kits, the brushed aluminum or frosted glass lid flips open and closed, providing easy access to integrated technology with additional cable management capabilities.

  Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic.

 *Note: Custom lids are not provided*

Series dimensions on following page…

ECA
BY DEKKO

INTERACT G2 | POWER, DATA & CONVENIENCE OUTLET

5.23
8.88
3.38
8.00
4.45

2 RECEPTACLES

1 CONVENIENCE OUTLET

2 CORD PASS THRU'S

2 DATA KNOCKOUTS

1 TELECOM PLATE KNOCKOUT

INTERACT G2 UT | POWER, DATA & CONVENIENCE OUTLET

5.43
9.10
3.39
8.10
4.55

2 RECEPTACLES

1 CONVENIENCE OUTLET

2 CORD PASS THRU'S

2 DATA KNOCKOUTS

1 TELECOM PLATE KNOCKOUT

INTERACT G2 | POWER, USB, DATA & CONVENIENCE OUTLET

5.23
9.61
3.30
8.65
4.45

2 RECEPTACLES

1 CONVENIENCE OUTLET

1 USB A & 1 USB C PORT

2 CORD PASS THRU'S

2 DATA KNOCKOUTS

1 TELECOM PLATE KNOCKOUT

## INTERACT G2 UT | POWER, USB, DATA & CONVENIENCE OUTLET

5.43
9.73
3.39

2 RECEPTACLES

1 CONVENIENCE OUTLET

1 USB A & 1 USB C PORT

2 CORD PASS THRU'S

2 DATA KNOCKOUTS

1 TELECOM PLATE KNOCKOUT

ECA
BY DEKKO

INTERACT G2 UT | LID & TRIM PIVOT KIT

*Refer to Trim Pivot Kit Installation Sheet
for Lid & Trim Pivot Kit Assembly Directions

3.87"

7.05"

LID

**ASSEMBLED
TRIM PIVOT KIT COMPONENTS**

ECA
BY DEKKO

CORDED CONFIGURATIONS

	FINISH	PRODUCT NUMBER
2 POWER, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, CORDED UNIT	SILVER BLACK TEXTURE WHITE (white receptacles) BRONZE LATTE CARBON BRUSHED ALUMINIUM BRUSHED STAINLESS STEEL	ACT-21-S-72 ACT-21-B-72 ACT-21-GW-72 ACT-21-Z-72 ACT-21-L-72 ACT-21-C-72 ACT-21-AL-72 ACT-21-SS-72
2 POWER, 1 USB A, 1 USB C, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, CORDED UNIT	SILVER BLACK TEXTURE WHITE (white receptacles) BRONZE LATTE CARBON BRUSHED ALUMINIUM BRUSHED STAINLESS STEEL	305295.01.25.06 305295.01.04.06 305295.01.VW.06 305295.01.28.06 305295.01.31.06 305295.01.34.06 305295.01.53.06 305295.01.52.06
2 POWER, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, UNDERMOUNT CORDED UNIT	SILVER BLACK TEXTURE WHITE (white receptacles) BRONZE LATTE CARBON	ACT-UT-21-S-72 ACT-UT-21-B-72 ACT-UT-21-GW-72 ACT-UT-21-Z-72 ACT-UT-21-L-72 ACT-UT-21-C-72
2 POWER, 1 USB A, 1 USB C, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, UNDERMOUNT CORDED UNIT	SILVER BLACK TEXTURE WHITE (white receptacles) BRONZE LATTE CARBON	305297.01.25.06 305297.01.04.06 305297.01.VW.06 305295.01.28.06 305295.01.31.06 305295.01.34.06

RECEPTACLES ARE BLACK AS STANDARD UNLESS OTHERWISE NOTED.

OTHER CORD & WHIP LENGTHS AVAILABLE AT COST: 36", 108", 144" AND 180"
REPLACE 72 IN THE LISTED PART NUMBER WITH APPROPRIATE LENGTH: 36, 108, 144 OR 180, IN USB VARIATIONS, REPLACE .06 WITH .09 (108") OR .12 (144")
TELECOM PLATES SOLD SEPARATELY
LID AND TRIM KIT FOR UT VERSIONS SOLD SEPARATELY
CALL FOR PRICING

ECA
BY DEKKO

HARDWIRED CONFIGURATIONS

|	FINISH	PRODUCT NUMBER
2 POWER, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, HARDWIRED UNIT	SILVER	ACT-21-S-HW72
	BLACK	ACT-21-B-HW72
	WHITE	ACT-21-GW-HW72
	BRONZE	ACT-21-Z-HW72
	LATTE	ACT-21-L-HW72
	CARBON	ACT-21-C-HW72
	BRUSHED ALUMINIUM	ACT-21-AL-HW72
	BRUSHED STAINLESS STEEL	ACT-21-SS-HW72
2 POWER, 1 DUAL USB, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, HARDWIRED UNIT	SILVER	ACT-21U-S-HW72
	BLACK	ACT-21U-B-HW72
	WHITE	ACT-21U-GWHW72
	BRONZE	ACT-21U-Z-HW72
	LATTE	ACT-21U-L-HW72
	CARBON	ACT-21U-C-HW72
	BRUSHED ALUMINIUM	ACT-21U-ALHW72
	BRUSHED STAINLESS STEEL	ACT-21U-SSHW72
2 POWER, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, UNDERMOUNT HARDWIRED UNIT	SILVER	ACT-UT-21-SHW72
	BLACK	ACT-UT-21-BHW72
	WHITE	ACT-UT-21-GWHW72
	BRONZE	ACT-UT-21-ZHW72
	LATTE	ACT-UT-21-LHW72
	CARBON	ACT-UT-21-CHW72
2 POWER, 1 DUAL USB, 2 DATA KNOCKOUTS, 1 TELECOM PLATE KNOCKOUT, 1 CONVENIENCE OUTLET, UNDERMOUNT HARDWIRED UNIT	SILVER	ACT-UT-21USHW72
	BLACK	ACT-UT-21UBHW72
	WHITE	ACT-UT21UGWHW72
	BRONZE	ACT-UT-21UZHW72
	LATTE	ACT-UT-21ULHW72
	CARBON	ACT-UT-21UCHW72

OTHER CORD & WHIP LENGTHS AVAILABLE AT COST: 36", 108", 144" AND 180"
REPLACE 72 IN THE LISTED PART NUMBER WITH APPROPRIATE LENGTH: 36, 108, 144 OR 180
TELECOM PLATES SOLD SEPARATELY
LID AND TRIM KIT FOR UT VERSIONS SOLD SEPARATELY
CALL FOR PRICING

ECA
BY DEKKO

## DATA & ACCESSORY OPTIONS

SELECT YOUR DATA KNOCKOUT OPTIONS:

A.   B.   C.

DESCRIPTION	FINISH	PART NUMBER
A. RJ45 cat 6 punch down data jack; *Siemon™ brand*	Black	RJ45-B
B. HDMI keystone jack, female/female	Black	HDMI-KEY-B
C. USB 2.0 Type-A keystone, female/female	Black White	USB-20AA-B-72K USB-20AA-W-72K

ADDITIONAL DATA OPTIONS AVAILABLE
PLEASE CONTACT OUR KNOWLEDGEABLE CUSTOMER SERVICE TEAM FOR MORE DETAILS

INTERACT G2 UT LID & TRIM PIVOT KIT *(OPTIONAL)*:

D.   E.

DESCRIPTION	FINISH	PART NUMBER
D. Trim Pivot Kit - components for lid assembly for Interact G2 UT Versions Only *(can be used alone, with custom lid, or provided lid options)*	Brushed Aluminum	INTERACT-UT-LPA*
E. Lid Kit - lid to be used with Trim Pivot Kit	Frosted Glass Brushed Aluminum	INTERACT-UT-LG2* INTERACT-UT-LA*

*BOTH TRIM & LID (CHOOSE ONE) PART NUMBERS ARE REQUIRED FOR COMPLETE INTERACT G2 UT LID ASSEMBLY

ECA
BY DEKKO