



INTERFACE G2 SERIES


CORDED & HARDWIRED



THE POWER BEHIND THE BRAINSTORM

BUILDING CONNECTIONS BEYOND DEVICES

Big ideas arise at the most unexpected times. Interface G2 Series generates the power so you can generate the ideas. Featuring four power outlets, three customizable telecom plate knockouts, and your choice of USB charging ports, Interface G2 is a necessary addition to any conference or meeting application. Available as an in-surface or under table (UT) mounting option, the results are always seamless.



FEATURES:

Mounting Capabilities

Bezel/In-Surface
Under Table (UT)

Applications

Conference/Meeting
Collaborative Spaces

Standard Finishes

Silver 
Black 
White 

Specialty Finishes*


Brushed Aluminum 
Brushed Stainless Steel 
Bronze 
Latte 
Carbon 

Trim Kit Lid Finishes

(For UT Version Only)

Frosted Glass 
Brushed Aluminum 

*Interested in our specialty finishes?
Contact us for details.



UNIT SPECIFICATIONS:

- 15A/120V AC Receptacles
- (1) 2.4A Reversible USB-A Charging Port & (1) 60-Watt USB-C Power Delivery Port with GaN Technology
- Convenience Outlet
- Customizable Telecom Plate Knockout (*Plates Purchased Separately*)
- Standard Cord Lengths: 72"
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout:
 - *In-Surface Model* - 13.64" x 6.0"
 - *UT Unit Model* - 13.75" - 6.38"
- Listed for US and Canada

INTERFACE G2 UT TRIM & LID PIVOT KIT SPECIFICATIONS:


- For Use with Under Table (UT) Models Only
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Interact G2 UT Surface Cutout (*Listed in Specs Above*)
- Fits Surface Thicknesses: 0.75" - 2.0"
- Frosted Glass or Brushed Aluminum Lid - Must Be Used with Trim Pivot Kit (*Purchased Separately*)
 - Lid Thickness: 0.25"

Note: When using Interface G2 UT, the interior of the cutout is exposed. We suggest finishing external edge.

Mounting capabilities on following page...

In-Surface/Bezel (Featured to the right) -

- Easily integrate Interface G2 tabletop unit directly into the surface cutout. This model comes standardly equipped with a hinged lid with brushed liner trim to prevent dust and debris from falling through the opening. The lid flips up for access and can remain open when in use, and provides a clean aesthetic when closed.



Under Table (UT) (Featured to the left) -

- As the name implies, Interface G2 UT secures to the underside of the application for a completely flush finish. When paired with the optional Trim & Lid Pivot Kits, the brushed aluminum or frosted glass lid flips open and closed, providing easy access to integrated technology with additional cable management capabilities.


Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic. *Note: Custom lids are not provided*



Series dimensions on following page...


PRODUCT DIMENSIONS

INTERFACE G2 | POWER, DATA & CONVENIENCE OUTLET




- 4 RECEPTACLES
- 1 CONVENIENCE OUTLET
- 3 TELECOM PLATE KNOCKOUTS

INTERFACE G2 UT | POWER, DATA & CONVENIENCE OUTLET




- 4 RECEPTACLES
- 1 CONVENIENCE OUTLET
- 3 TELECOM PLATE KNOCKOUTS

INTERFACE G2 | POWER, USB, DATA & CONVENIENCE OUTLET



- 4 RECEPTACLES
- 1 USB A, 1 USB C PORT
- 1 CONVENIENCE OUTLET
- 3 TELECOM PLATE KNOCKOUTS

INTERFACE G2 UT | POWER, USB, DATA & CONVENIENCE OUTLET





- 4 RECEPTACLES
- 1 USB A, 1 USB C PORT
- 1 CONVENIENCE OUTLET
- 3 TELECOM PLATE KNOCKOUTS

Continued on following page...

INTERFACE G2 UT | LID & TRIM PIVOT KIT

*Refer to Trim Pivot Kit Installation Sheet
for Lid & Trim Pivot Kit Assembly Directions



Ordering information on following page...

CORDED CONFIGURATIONS

	FINISH	PRODUCT NUMBER
4 POWER, 3 TELECOM PLATE KNOCKOUTS, 1 CONVENIENCE OUTLET, CORDED UNIT	SILVER	INT-41-S-72
	BLACK	INT-41-B-72
	WHITE	INT-41-GW-72
	BRONZE	INT-41-Z-72
	LATTE	INT-41-L-72
	CARBON	INT-41-C-72
	BRUSHED ALUMINIUM	INT-41-AL-72
	BRUSHED STAINLESS STEEL	INT-41-SS-72
4 POWER, 1 USB A, 1 USB C, 3 TELECOM PLATE KNOCKOUTS, 1 CONVENIENCE OUTLET, CORDED UNIT	SILVER	305305.01.27.06
	BLACK	305305.01.04.06
	WHITE	305305.01.VW.06
	BRONZE	305305.01.28.06
	LATTE	305305.01.31.06
	CARBON	305305.01.34.06
	BRUSHED ALUMINIUM	305305.01.53.06
	BRUSHED STAINLESS STEEL	305305.01.52.06
4 POWER, 3 TELECOM PLATE KNOCKOUTS, 1 CONVENIENCE OUTLET, CORDED UNDERMOUNT UNIT	SILVER	INT-UT-41-S-72
	BLACK	INT-UT-41-B-72
	WHITE	INT-UT-41-GW-72
	BRONZE	INT-UT-41-Z-72
	LATTE	INT-UT-41-L-72
	CARBON	INT-UT-41-C-72
4 POWER, 1 USB A, 1 USB C, 3 TELECOM PLATE KNOCKOUTS, 1 CONVENIENCE OUTLET, CORDED UNDERMOUNT UNIT	SILVER	305306.01.25.06
	BLACK	305306.01.04.06
	WHITE	305306.01.VW.06
	BRONZE	305306.01.28.06
	LATTE	305306.01.31.06
	CARBON	305306.01.34.06

RECEPTACLES ARE BLACK AS STANDARD UNLESS OTHERWISE NOTED.

OTHER CORD & WHIP LENGTHS AVAILABLE AT COST: 36", 108", 144" AND 180"

REPLACE 72 IN THE LISTED PART NUMBER WITH APPROPRIATE LENGTH: 36, 108, 144 OR 180, IN USB VARIATIONS, REPLACE .06 WITH .09 (108") OR .12 (144")


DATA KNOCKOUT OPTIONS SOLD SEPARATELY

LID AND TRIM KIT FOR UT VERSIONS SOLD SEPARATELY

CALL FOR PRICING

TRIM & LID PIVOT KIT OPTIONS

INTERFACE G2 UT LID & TRIM PIVOT KIT (OPTIONAL):



DESCRIPTION	FINISH	PART NUMBER
D. Trim Pivot Kit - components for lid assembly for Interface G2 UT Versions Only <i>(can be used alone, with custom lid, or provided lid options)</i>	Brushed Aluminum	INTRFC IUT LPA*
E. Lid Kit - lid to be used with Trim Pivot Kit	Frosted Glass Brushed Aluminum	INTRFC IUT LG2* INTRFC IUT LA*

*BOTH TRIM & LID (CHOOSE ONE) PART NUMBERS ARE REQUIRED FOR COMPLETE INTERFACE G2 UT LID ASSEMBLY