



INTERFACE II SERIES

CORDED & HARDWIRED



FULLY LOADED, TECH-ENABLED WORKSPACE



DOMINATE COLLAB SPACES WITH DUAL ACCESS TO POWER & DATA

Interface II Series features eight power receptacles, eight cutouts for customizable telecom plates, an optional convenience receptacle on the underside for added utility power, so that, no matter the group size, all participants have the ability to plug-in and stay connected. Offered as in-surface and under table (UT) configurations, Interface II Series delivers dual-sided power and data capabilities - resulting in continuous collaboration and brainstorming.



FEATURES:

Mounting Capabilities

Bezel/In-Surface
Under Table (UT)

Applications

Conference/Meeting
Collaborative Spaces


Standard Finishes*

Silver 
Black 
Brushed Aluminum 
Brushed Stainless Steel 


Trim Kit Lid Finishes

(For UT Version Only) 
Brushed Aluminum

*Interested in our specialty finishes?
Contact us for details.



**IN-SURFACE
CORDED**



**UNDER TABLE
HARDWIRED**
(WITHOUT LID SHOWN)

Mounting capabilities on following page...

UNIT SPECIFICATIONS:

- 15A/120V AC Receptacles
- 15A Circuit Breaker
- Convenience Outlet (*Available on Select Models*)
- Customizable Telecom Plate Knockouts (*Plates Purchased Separately*)
- Standard Cord and Hardwired Whip Lengths: 72", 108", 144" & 180"
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout:
 - *In-Surface Model* - 13.62" x 11"
 - *UT Unit Model* - 13.75" - 11.12"
- ETL Listed for US and Canada

INTERFACE II UT TRIM & LID PIVOT KIT SPECIFICATIONS:

- For Use with Under Table (UT) Models Only
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Interface II UT Surface Cutout (*Listed in Specs Above*)
- Fits Surface Thicknesses: 0.75" - 2.0"
- Brushed Aluminum Lid - Must Be Used with Trim Pivot Kit (*Purchased Separately*)
 - Lid Thickness: 0.25"

Note: When using Interface II UT, the interior of the cutout is exposed. We suggest finishing external edge.


In-Surface/Bezel (Featured to the right) -

- Easily integrate Interface II tabletop unit directly into the surface cutout. This model comes standardly equipped with a hinged lid with brushed liner trim to prevent dust and debris from falling through the opening. The lid flips up for access and can remain open when in use, and provides a clean aesthetic when closed.

***Under Table (UT)*** (Featured to the left) -

- As the name implies, Interface II UT secures to the underside of the application for a completely recessed finish. When paired with the optional Trim & Lid Pivot Kits, the brushed aluminum lids flip open and closed, providing easy access to integrated technology with additional cable management capabilities.


Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic. *Note: Custom lids are not provided*



Series dimensions on following page...


PRODUCT DIMENSIONS

INTERFACE II | POWER & DATA




8 RECEPTACLES
8 TELECOM PLATE KNOCKOUTS

INTERFACE II UT | POWER & DATA




8 RECEPTACLES
8 TELECOM PLATE KNOCKOUTS

INTERFACE II | POWER, DATA & CONVENIENCE OUTLET



8 RECEPTACLES
1 CONVENIENCE OUTLET (NOT VISIBLY SHOWN)
8 TELECOM PLATE KNOCKOUTS

INTERFACE II UT | POWER, DATA & CONVENIENCE OUTLET




8 RECEPTACLES
1 CONVENIENCE OUTLET (NOT VISIBLY SHOWN)
8 TELECOM PLATE KNOCKOUTS


Continued on following page...

INTERFACE II UT | LID & TRIM PIVOT KIT

*Refer to Trim Pivot Kit Installation Sheet
for Lid & Trim Pivot Kit Assembly Directions



**LID
(SET OF 2)**



**ASSEMBLED
TRIM PIVOT KIT COMPONENTS**

Ordering information on following page...

CORDED CONFIGURATIONS

SELECT YOUR POWER:

CHOOSE YOUR FINISH:

POWER RECEPTACLES	TELECOM PLATE KNOCKOUT	CONVENIENCE OUTLET
----------------------	------------------------------	-----------------------

SILVER

BLACK

BRUSHED
ALUMINUMBRUSHED
STAINLESS
STEELINTERFACE II | **POWER & DATA** | STANDARD 72" CORD

8	8	-	INTRFC II TT CS	INTRFC II TT SC	INTRFC II TT-ALSC	INTRFC II TT-SSSC
---	---	---	-----------------	-----------------	-------------------	-------------------

INTERFACE II | **POWER & DATA** | STANDARD 108" CORD

8	8	-	INTRFC II TT 32	INTRFC II TT 06	INT-II-TT-AL108	INTRFC II TT SS01
---	---	---	-----------------	-----------------	-----------------	-------------------

INTERFACE II | **POWER & DATA** | STANDARD 144" CORD

8	8	-	INT-II-TT-SP144	INTRFC II TT 12	INTRFC II TT AL02	INT-II-TT-SS144
---	---	---	-----------------	-----------------	-------------------	-----------------

INTERFACE II | **POWER & DATA** | STANDARD 180" CORD

8	8	-	INT-II-TT-SP180	INT-II-TT-B180	INT-II-TT-AL180	INT-II-TT-SS180
---	---	---	-----------------	----------------	-----------------	-----------------

TT

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 72" CORD

8	8	1	INT-II-TTSPDC72	INTRFC II TT DC	INT-IITDCAL72	INT-II-TT-SS-DC
---	---	---	-----------------	-----------------	---------------	-----------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 108" CORD

8	8	1	INTRFC II TT DC2	INTRFC II TT DC1	INTIITDCAL108	INTRFC II TT DC1
---	---	---	------------------	------------------	---------------	------------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 144" CORD

8	8	1	INT-IITTPDC144	INT-II-TTBDC144	INTIITDCAL144	INTIITSSDC144
---	---	---	----------------	-----------------	---------------	---------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 180" CORD

8	8	1	INT-IITTPDC180	INT-II-TTBDC180	INTIITDCAL180	INTIITSSDC180
---	---	---	----------------	-----------------	---------------	---------------

INTERFACE II UT | **POWER & DATA** | STANDARD 72" CORD

8	8	-	INTRFC II UT 07	INTRFC II UT SC	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 108" CORD

8	8	-	INTRFC II UT 08	INTRFC II UT 03	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 144" CORD

8	8	-	INTRFC II UT 09	INTRFC II UT 04	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 180" CORD

8	8	-	INT-IIUT-SP-180	INTRFC II UT 05	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

UT

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 72" CORD

8	8	1	INT-II-TTSPDC72	INTRFC 2 UTSCDC	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 108" CORD

8	8	1	INTFC2UTSCDC108	INTFC2UTSCDC108	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 144" CORD

8	8	1	INT-IITTPDC144	INTFC2UTSCDC144	N/A	N/A
---	---	---	----------------	-----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 180" CORD

8	8	1	INT2UTSPSCDC180	INTFC2UTSCDC180	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

TELECOM PLATES SOLD SEPARATELY
LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY
CALL FOR PRICING

Hardwired configurations on following page...



HARDWIRED CONFIGURATIONS

SELECT YOUR POWER:

CHOOSE YOUR FINISH:

POWER RECEPTACLES	TELECOM PLATE KNOCKOUT	CONVENIENCE OUTLET
----------------------	------------------------------	-----------------------

SILVER

BLACK

BRUSHED
ALUMINUMBRUSHED
STAINLESS
STEELINTERFACE II | **POWER & DATA** | STANDARD 72" HARDWIRED WHIP

8	8	-	INTRFC II TT HW6	INTRFC II TT HW	INTRFC II TT-AL03	INTRFC II TT-SSHW
---	---	---	------------------	-----------------	-------------------	-------------------

INTERFACE II | **POWER & DATA** | STANDARD 108" HARDWIRED WHIP

8	8	-	INTRFC II TT HW7	INTRFC II TT HW4	INTRFC II TT AL04	INTRFC II TT SS02
---	---	---	------------------	------------------	-------------------	-------------------

INTERFACE II | **POWER & DATA** | STANDARD 144" HARDWIRED WHIP

8	8	-	INTRFC II TT HW8	INTRFC II TT HW5	INTRFC II TT AL05	INTRFC II TT SS03
---	---	---	------------------	------------------	-------------------	-------------------

INTERFACE II | **POWER & DATA** | STANDARD 180" HARDWIRED WHIP

8	8	-	INT-IITTSPHW180	INT-IITTBHW180	INT-II-TT-AL180	INT-IITTSSHW180
---	---	---	-----------------	----------------	-----------------	-----------------

TT

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 72" HARDWIRED WHIP

8	8	1	INT-IITT-SPHWDC	INTRFC2 TTHWDC	INT-ITTDAL72	INTRFC II TT 03
---	---	---	-----------------	----------------	--------------	-----------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 108" HARDWIRED WHIP

8	8	1	INTIITTSHWDC108	INTIITTBHWDC108	INTIITTALHDC108	INTIITTSSHDC108
---	---	---	-----------------	-----------------	-----------------	-----------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 144" HARDWIRED WHIP

8	8	1	INTIITTSHWDC144	INTIITTBHWDC144	INTIITTALHDC144	INTIITTSSHDC144
---	---	---	-----------------	-----------------	-----------------	-----------------

INTERFACE II | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 180" HARDWIRED WHIP

8	8	1	INTIITTSHWDC180	INTIITTBHWDC180	INTIITTALHDC180	INTIITTSSHDC180
---	---	---	-----------------	-----------------	-----------------	-----------------

INTERFACE II UT | **POWER & DATA** | STANDARD 72" HARDWIRED WHIP

8	8	-	INTRFC II UTHW03	INTRFC II UT HW	N/A	N/A
---	---	---	------------------	-----------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 108" HARDWIRED WHIP

8	8	-	INTRFC II UTHW04	INTRFC II UTHW01	N/A	N/A
---	---	---	------------------	------------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 144" HARDWIRED WHIP

8	8	-	INTRFC II UTHW05	INTRFCIIUTHW144	N/A	N/A
---	---	---	------------------	-----------------	-----	-----

INTERFACE II UT | **POWER & DATA** | STANDARD 180" HARDWIRED WHIP

8	8	-	INT-IIUTSPHW180	INT-IIUTBLHW180	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

UT

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 72" HARDWIRED WHIP

8	8	1	INT2UTSPHWDC72	INTRFC 2 UTHWDC	N/A	N/A
---	---	---	----------------	-----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 108" HARDWIRED WHIP

8	8	1	INT2UTSPHWDC108	INTRFC II UT 14	N/A	N/A
---	---	---	-----------------	-----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 144" HARDWIRED WHIP



8	8	1	INT2UTSPHWDC144	INT-2UTHWDC144	N/A	N/A
---	---	---	-----------------	----------------	-----	-----

INTERFACE II UT | **POWER, DATA & CONVENIENCE OUTLET** | STANDARD 180" HARDWIRED WHIP

8	8	1	ONT2UTSPHWDC180	INT-2UTHWDC180	N/A	N/A
---	---	---	-----------------	----------------	-----	-----

TELECOM PLATES SOLD SEPARATELY
LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY
CALL FOR PRICING

Hardwired configurations on following page...

TRIM & LID PIVOT KIT OPTIONSINTERFACE II UT LID & TRIM PIVOT KIT (OPTIONAL):

DESCRIPTION	FINISH	PART NUMBER
D. Trim Pivot Kit - components for lid assembly for Interface II UT Versions Only <i>(can be used alone, with custom lid, or provided lid options)</i>	Brushed Aluminum	INTRFC II UT LPA*
E. Lid Kit - lid to be used with Trim Pivot Kit	Brushed Aluminum	INTRFC II UT LA*

*BOTH TRIM & LID (CHOOSE ONE) PART NUMBERS ARE REQUIRED FOR COMPLETE INTERFACE II UT LID ASSEMBLY