




# OASIS™

CORDED & HARDWIRED



## MODERN ELEMENTAL DESIGN

### STREAMLINED POWER FOR CONFERRING APPLICATIONS

Oasis™ Series supplies a centralized location for meeting participants to easily access productivity-enhancing technology from directly within the conference table. The adaptable 30-inch table trough manages wires and cords within the trough and conceals them with a retractable two-panel closure lid or Trim Pivot Kit Lid. Available as an in-surface or under table (UT) unit, Oasis™ delivers versatile mounting capabilities and curated power options for all collaborative needs.

**FEATURES:**


**Mounting Capabilities**

Bezel/In-Surface  
Under Table (UT)






**Applications**

Conference/Meeting  
Collaborative Spaces


**Standard Finishes**

Silver   
Black (Textured Finish)   
White 

**Specialty Finishes\***

Brushed Aluminum   
Black Brushed Aluminum   
Bronze   
Latte   
Carbon 

Trim Kit Lid Finishes (For UT Version Only)

Frosted Glass 

\*Interested in our specialty finishes?  
Contact us for details.




**UNIT SPECIFICATIONS:**


- 15A/120V AC Receptacles
- **Corded Models:** (1) 2.4A Reversible USB-A Charging Port & (1) 60-Watt USB-C Power Delivery Port with GaN Technology
- **Hardwire Models:** (2) 2.1A/5V Shared; Dual USB Charging Ports (Available on Select Models)
- Customizable Telecom Plate Knockouts (Available on Select Models; Plates Purchased Separately)
- Standard Cord and Hardwired Whip Lengths: 108" (Specify In Part Number)
- 30-Inch Table Trough - Tabletop and Under Table (UT) Models
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout: 29.12" x 8.25" (See Install Sheet for Additional Required Undercut Instructions)
- Optional Outer Pan Accessory (Purchased Separately)
- Power Inserts - UL Listed for US and Canada




DATA ONLY INSERT




POWER & DATA INSERT




POWER ONLY INSERT



POWER & USB INSERT




POWER & USB INSERT




USB ONLY INSERT

**OASIS™ UT TRIM & LID PIVOT KIT SPECIFICATIONS:**

- For Use with Under Table (UT) Models Only
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Oasis™ Surface Cutout (Listed in Specs Above)
- Fits Surface Thicknesses: 0.75" - 2.0"
- Set of 2 Frosted Glass Lids - Must Be Used with Trim Pivot Kit (Purchased Separately)
- Lid Thickness: 0.25"



CORDED  
IN-SURFACE MODEL




HARDWIRED  
IN-SURFACE MODEL

Mounting capabilities on following page...



### In-Surface/Bezel (Featured to the right) -

- Easily integrate Oasis™ tabletop unit directly into the surface cutout. This model comes standardly equipped with a clever retractable lid that keeps wires and cables organized and out of sight. When closed, the unit sits nearly flush to the surface for an overall aesthetic finish.



### Under Table (UT) (Featured to the left) -

- Oasis™ UT secures to the underside of the application for a completely recessed finish. When paired with the optional Trim & Lid Pivot Kits, the set of frosted glass lids flip open and close; providing easy access to integrated technology with additional cable management capabilities.

Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic. Note: Custom lids are not provided




Series dimensions on following page...

NOTE: NOT ALL CORDS ARE VISIBLY SHOWN. IMAGES ARE FOR REPRESENTATION PURPOSES ONLY. SEE ORDERING INFORMATION FOR CORD QUANTITIES.


PRODUCT DIMENSIONS

OASIS™ A | POWER & DATA




8 RECEPTACLES  
6 TELECOM PLATE KNOCKOUTS

OASIS™ UT A | POWER & DATA




8 RECEPTACLES  
6 TELECOM PLATE KNOCKOUTS

OASIS™ B | POWER & DATA



12 RECEPTACLES  
4 TELECOM PLATE KNOCKOUTS

OASIS™ UT B | POWER & DATA




12 RECEPTACLES  
4 TELECOM PLATE KNOCKOUTS

Continued on following page...

NOTE: NOT ALL CORDS ARE VISIBLY SHOWN. IMAGES ARE FOR REPRESENTATION PURPOSES ONLY. SEE ORDERING INFORMATION FOR CORD QUANTITIES.


PRODUCT DIMENSIONS

**OASIS™ USB**  
**POWER, USB & DATA**




- 6 RECEPTACLES
- 6 USB-A PORT
- 6 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS

**OASIS™ UT USB**  
**POWER, USB & DATA**




- 6 RECEPTACLES
- 6 USB-A PORT
- 6 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS

**OASIS™ USB**  
**POWER, USB & DATA**




- 10 RECEPTACLES
- 4 USB-A PORT
- 4 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS

**OASIS™ UT USB**  
**POWER, USB & DATA**




- 10 RECEPTACLES
- 4 USB-A PORT
- 4 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS

**OASIS™ USB**  
**POWER, USB & DATA**



- 12 RECEPTACLES
- 2 USB-A PORT
- 2 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS


**OASIS™ UT USB**  
**POWER, USB & DATA**





- 12 RECEPTACLES
- 2 USB-A PORT
- 2 USB-C PORT
- 2 TELECOM PLATE KNOCKOUTS

Continued on following page...

OASIS™ SERIES | OUTERPAN ACCESSORY



OASIS™ UT | LID & TRIM PIVOT KITS



\*Refer to trim Pivot Kit Installation Sheet for Trim & Lid Pivot Kit Assembly Directions\*

Ordering information on following page...

**OASIS A**

8 POWER, 6 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

**FINISH**

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON
- BRUSHED ALUMINIUM
- BLACK BRUSHED ALUMINIUM

**PRODUCT NUMBER**

- OAS-A-PC-S
- OAS-A-PC-B
- OAS-A-PC-GW
- OAS-A-PC-Z
- OAS-A-PC-L
- OAS-A-PC-C
- OASIS-A
- OASIS-A-BL

8 POWER, 6 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON

- OASIS-UT-A
- OASIS-UT-A-BL
- OASIS-UT-A-GW
- OASIS-UT-A-Z
- OASIS-UT-A-L
- OASIS-UT-A-C

**OASIS B**

12 POWER, 4 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON
- BRUSHED ALUMINIUM
- BLACK BRUSHED ALUMINIUM

- OAS-B-PC-S
- OAS-B-PC-B
- OAS-B-PC-GW
- OAS-B-PC-Z
- OAS-B-PC-L
- OAS-B-PC-C
- OASIS-B
- OASIS-B-BL

12 POWER, 4 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON

- OASIS-UT-B
- OASIS-UT-B-BL
- OASIS-UT-B-GW
- OASIS-UT-B-Z
- OASIS-UT-B-L
- OASIS-UT-B-C

**OASIS USB**

6 POWER, 6 USB-A & 6 USB-C, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON
- BRUSHED ALUMINIUM
- BLACK BRUSHED ALUMINIUM

- 305298.05.27.09
- 305298.05.04.09
- 305298.05.VW.09
- 305298.05.28.09
- 305298.05.31.09
- 305298.05.34.09
- 305298.05.01.09
- 305298.05.19.09

6 POWER, 6 USB-A & 6 USB-C, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

- SILVER
- BLACK
- WHITE
- BRONZE
- LATTE
- CARBON
- BRUSHED ALUMINIUM
- BLACK BRUSHED ALUMINIUM

- 305299.05.27.09
- 305299.05.04.09
- 305299.05.VW.09
- 305299.05.28.09
- 305299.05.31.09
- 305299.05.34.09
- 305299.05.01.09
- 305299.05.19.09

OASIS USB

FINISH

PRODUCT NUMBER

10 POWER, 2 USB-A & 2 USB-C, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

SILVER	305298.04.27.09
BLACK	305298.04.04.09
WHITE	305298.04.VV.09
BRONZE	305298.04.28.09
LATTE	305298.04.31.09
CARBON	305298.04.34.09
BRUSHED ALUMINIUM	305298.04.01.09
BLACK BRUSHED ALUMINIUM	305298.04.19.09

10 POWER, 2 USB-A & 2 USB-C, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

SILVER	305299.04.27.09
BLACK	305299.04.04.09
WHITE	305299.04.VV.09
BRONZE	305299.04.28.09
LATTE	305299.04.31.09
CARBON	305299.04.34.09
BRUSHED ALUMINIUM	305299.04.01.09
BLACK BRUSHED ALUMINIUM	305299.04.19.09

OASIS USB

12 POWER, 2 USB-A & 2 USB-C, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD

SILVER	305298.03.27.09
BLACK	305298.03.04.09
WHITE	305298.03.VV.09
BRONZE	305298.03.28.09
LATTE	305298.03.31.09
CARBON	305298.03.34.09
BRUSHED ALUMINIUM	305298.03.01.09
BLACK BRUSHED ALUMINIUM	305298.03.19.09

12 POWER, 2 USB-A & 2 USB-C, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD

SILVER	305299.03.27.09
BLACK	305299.03.04.09
WHITE	305299.03.VV.09
BRONZE	305299.03.28.09
LATTE	305299.03.31.09
CARBON	305299.03.34.09
BRUSHED ALUMINIUM	305299.03.01.09
BLACK BRUSHED ALUMINIUM	305299.03.19.09



## OASIS HARDWIRED CONFIGURATIONS

OASIS A	FINISH	PRODUCT NUMBER
8 POWER, 6 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OAS-A-PC-S-HW
	BLACK	OAS-A-PC-B-HW
	WHITE	OAS-A-PC-GW-HW
	BRONZE	OAS-A-PC-Z-HW
	LATTE	OAS-A-PC-L-HW
	CARBON	OAS-A-PC-C-HW
	BRUSHED ALUMINIUM	OASIS-A-HW
	BLACK BRUSHED ALUMINIUM	OASIS-A-HW-BL
8 POWER, 6 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OASIS-UT-A-HW
	BLACK	OASIS-UT-A-BLHW
	WHITE	OASIS-UT-A-GWHW
	BRONZE	OASIS-UT-A-ZHW
	LATTE	OASIS-UT-A-LHW
	CARBON	OASIS-UT-A-CHW

OASIS B	FINISH	PRODUCT NUMBER
12 POWER, 4 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OAS-B-PC-S-HW
	BLACK	OAS-B-PC-B-HW
	WHITE	OAS-B-PC-GW-HW
	BRONZE	OAS-B-PC-Z-HW
	LATTE	OAS-B-PC-L-HW
	CARBON	OAS-B-PC-C-HW
	BRUSHED ALUMINIUM	OASIS-B-HW
	BLACK BRUSHED ALUMINIUM	OASIS-B-BL-HW
12 POWER, 4 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OASIS UT B HW
	BLACK	OASIS UT B BLHW
	WHITE	OASIS UT B GWHW
	BRONZE	OASIS UT B ZHW
	LATTE	OASIS UT B LHW
	CARBON	OASIS UT B CHW

OASIS USB	FINISH	PRODUCT NUMBER
12 POWER, 2 DUAL USB, 2 TELECOM PLATE KNOCKOUT, HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OAS-U-PC-S-108HW
	BLACK	OAS-U-PC-B-108HW
	WHITE	OAS-U-PC-GW-108HW
	BRONZE	OAS-U-PC-Z-108HW
	LATTE	OAS-U-PC-L-108HW
	CARBON	OAS-U-PC-C-108HW
	BRUSHED ALUMINIUM	OAS-U-AL-108HW
	BLACK BRUSHED ALUMINIUM	OAS-U-BA-108HW
12 POWER, 2 DUAL USB, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH 108" STANDARD CORD	SILVER	OASIS-UT-B-HW
	BLACK	OASIS-UT-B-BLHW
	WHITE	OASIS-UT-B-GWHW
	BRONZE	OASIS-UT-B-ZHW
	LATTE	OASIS-UT-B-LHW
	CARBON	OASIS-UT-B-CHW

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS

CHANGE 4-1 TO 4-2 IN PART NUMBER TO SPECIFY CIRCUIT 2 CONFIGURATIONS


TELECOM PLATES SOLD SEPARATELY

LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY

CALL FOR PRICING

MOUNTING ACCESSORIES

OUTERPAN ACCESSORY (OPTIONAL):



A.

DESCRIPTION

FINISH


PART NUMBER

A. Oasis™ Outerpan - conceals underside of 30" Oasis Trough


Silver Pearl  
Black

OASIS-PAN-SLVR  
OASIS-PAN

OASIS™ UT LID & TRIM PIVOT KITS (OPTIONAL)



B.



C.

DESCRIPTION

FINISH

PART NUMBER

B. Trim Pivot Kit - components for lid assembly for Oasis™ UT Versions Only (can be used alone, with custom lid, or provided lid options)

Brushed Aluminum

OASIS-UT-LPA\*

C. Lid Kit - Set of 2 glass lids to be used with Trim Pivot Kit

Frosted Glass

OASIS-UT-LG2\*

\*BOTH PART NUMBERS ARE REQUIRED FOR COMPLETE OASIS™ UT LID ASSEMBLY