



# OASIS™ MINI SERIES

CORDED & HARDWIRED



## CRITICAL CONNECTIVITY

## CABLE MANAGEMENT

## POWER CUSTOMIZATION

### BRINGING TECHNOLOGY TO THE FOREFRONT OF MEETING SPACES

The sophisticated 15-inch Oasis™ Mini supplies power, data, and charging technology where it's needed most. Available as an in-surface or under table (UT) unit, seamless productivity-enhancing technology and critical cable management are accessible at your fingertips. Customizable power inserts accommodate even the most unique preferences, creating a collab-centric environment that is both aesthetically pleasing and productive.





**FEATURES:**

**Mounting Capabilities**

Bezel/In-Surface  
Under Table (UT)






**Applications**

Conference/Meeting  
Collaborative Spaces

**Standard Finishes**

Silver   
Black (Textured Finish)   
White 

**Specialty Finishes\***

Brushed Aluminum   
Black Brushed Aluminum   
Bronze   
Latte   
Carbon 

**Trim Kit Lid Finishes (For UT Version Only)**

Frosted Glass 

\*Interested in our specialty finishes?  
Contact us for details.




**UNIT SPECIFICATIONS:**

- 15A/120V AC Receptacles
- **Corded Models:** (1) 2.4A Reversible USB-A Charging Port & (1) 60-Watt USB-C Power Delivery Port with GaN Technology
- **Hardwire Models:** (2) 2.1A/5V Shared; Dual USB Charging Ports (Available on Select Models)
- Customizable Telecom Plate Knockouts (Available on Select Models; Plates Purchased Separately)
- Standard Cord and Hardwired Whip Lengths: 108"
- 15-Inch Table Trough - Tabletop and Under Table (UT) Models
- Fits Surface Thicknesses: 0.88" - 2.0"
- Fits Surface Cutout: 14.12" x 8.25" (See Install Sheet for Additional Required Undercut Instructions)
- Optional Outer Pan Accessory (Purchased Separately)
- Power Inserts - UL Listed for US and Canada

**OASIS™ MINI UT TRIM & LID PIVOT KIT SPECIFICATIONS:**


- For Use with Under Table (UT) Models Only
- Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly
- Fits Standard Oasis™ Mini Surface Cutout (Listed in Specs Above)
- Fits Surface Thicknesses: 0.75" - 2.0"
- Includes Set of 2 Frosted Glass Lids - Must Be Used with Trim Pivot Kit (Purchased Separately)
  - Lid Thickness: 0.25"



Mounting capabilities on following page...

***In-Surface/Bezel*** (Featured to the right) -

- Easily integrate Oasis™ Mini tabletop unit directly into the surface cutout. This model comes standardly equipped with a clever retractable lid that keeps wires and cables organized and out of sight. When closed, the unit sits nearly flush to the surface for an overall aesthetic finish.



***Under Table (UT)*** (Featured to the left) -

- Oasis™ Mini UT secures to the underside of the application for a completely recessed finish. When paired with the optional Trim & Lid Pivot Kits, the set of frosted glass lids flip open and closed; providing easy access to integrated technology with additional cable management capabilities.

Looking for a customized finish? Fabricate your own lid (paired with the Trim Kit) to match your application for a flawless and cohesive aesthetic.

*Note: Custom lids are not provided*




Series dimensions on following page...




**PRODUCT DIMENSIONS**

NOTE: NOT ALL CORDS ARE VISIBLY SHOWN. IMAGES ARE FOR REPRESENTATION PURPOSES ONLY. SEE ORDERING INFORMATION FOR CORD QUANTITIES.


**OASIS™ MINI A | POWER & DATA**




**OASIS™ MINI UT A | POWER & DATA**



**OASIS™ MINI B | POWER & DATA**



**OASIS™ MINI UT B | POWER & DATA**









Continued on following page...

**PRODUCT DIMENSIONS**

NOTE: NOT ALL CORDS ARE VISIBLY SHOWN. IMAGES ARE FOR REPRESENTATION PURPOSES ONLY. SEE ORDERING INFORMATION FOR CORD QUANTITIES.


**OASIS™ MINI USB | POWER & USB**

**OASIS™ MINI UT USB | POWER & USB**




Continued on following page...

**OASIS™ MINI SERIES** | OUTER PAN ACCESSORY



**OASIS™ MINI LUT** | LID & TRIM PIVOT KIT



\*Refer to Trim Pivot Kit Installation Sheet for Trim & Lid Pivot Kit Assembly Directions\*

Ordering information on following page...

# OASIS MINI CORDED CONFIGURATIONS

## ORDERING INFORMATION

	FINISH	PRODUCT NUMBER	
<b>OASIS MINI A</b>			
	6 POWER, 2 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	OAM-A-PC-S OAM-A-PC-B OAM-A-PC-GW OAM-A-PC-Z OAM-A-PC-L OAM-A-PC-C OASIS-MINI-A OASIS-MINI-A-BL
	6 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON	OASIS-MINI-UT-A OASIS-MINI-UT-ABL OASIS-MINI-UT-AGW OASIS-MINI-UT-AZ OASIS-MINI-UT-AL OASIS-MINI-UT-AC

	FINISH	PRODUCT NUMBER	
<b>OASIS MINI B</b>			
	4 POWER, 3 TELECOM PLATE KNOCKOUTS, CORDED UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	OAM-B-PC-S OAM-B-PC-B OAM-B-PC-GW OAM-B-PC-Z OAM-B-PC-L OAM-B-PC-C OASIS-MINI-B OASIS-MINI-B-BL
	4 POWER, 3 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH (2) 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON	OASIS-MINI-UT-B OASIS-MINI-UT-BBL OASIS-MINI-UT-BGW OASIS-MINI-UT-BZ OASIS-MINI-UT-BL OASIS-MINI-UT-BC

	FINISH	PRODUCT NUMBER	
<b>OASIS MINI USB</b>			
	3 POWER, 3 USB-A & 3 USB-C, 1 TELECOM PLATE KNOCKOUT, CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	305300.05.27.09 305300.05.04.09 305300.05.VW.09 305300.05.28.09 305300.05.31.09 305300.05.34.09 305300.05.01.09 305300.05.19.09
	3 POWER, 3 USB-A & 3 USB-C, 1 TELECOM PLATE KNOCKOUT, UNDERMOUNTED CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM BLACK BRUSHED ALUMINIUM	305301.05.27.09 305301.05.04.09 305301.05.VW.09 305301.05.28.09 305301.05.31.09 305301.05.34.09 305301.05.01.09 305301.05.19.09

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS  
 TELECOM PLATES SOLD SEPARATELY  
 LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY  
 CALL FOR PRICING



# OASIS MINI CORDED CONFIGURATIONS

## ORDERING INFORMATION

	FINISH	PRODUCT NUMBER
<b>OASIS MINI USB</b>		
5 POWER, 2 USB-A & 2 USB-C, 1 TELECOM PLATE KNOCKOUT, CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER	305300.04.27.09
	BLACK	305300.04.04.09
	WHITE	305300.04.VW.09
	BRONZE	305300.04.28.09
	LATTE	305300.04.31.09
	CARBON	305300.04.34.09
	BRUSHED ALUMINIUM	305300.04.01.09
	BLACK BRUSHED ALUMINIUM	305300.04.19.09
5 POWER, 2 USB-A & 2 USB-C, 1 TELECOM PLATE KNOCKOUT, UNDERMOUNTED CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER	305301.04.27.09
	BLACK	305301.04.04.09
	WHITE	305301.04.VW.09
	BRONZE	305301.04.28.09
	LATTE	305301.04.31.09
	CARBON	305301.04.34.09
	BRUSHED ALUMINIUM	305301.04.01.09
	BLACK BRUSHED ALUMINIUM	305301.04.19.09

<b>OASIS MINI USB</b>		
6 POWER, 1 USB -A & 1 USB-C, 1 TELECOM PLATE KNOCKOUT, CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER	305300.03.27.09
	BLACK	305300.03.04.09
	WHITE	305300.03.VW.09
	BRONZE	305300.03.28.09
	LATTE	305300.03.31.09
	CARBON	305300.03.34.09
	BRUSHED ALUMINIUM	305300.03.01.09
	BLACK BRUSHED ALUMINIUM	305300.03.19.09
6 POWER, 1 USB -A & 1 USB-C, 1 TELECOM PLATE KNOCKOUTS, UNDERMOUNT CORDED UNIT WITH (2) 108" STANDARD CORDS	SILVER	305301.03.27.09
	BLACK	305301.03.04.09
	WHITE	305301.03.VW.09
	BRONZE	305301.03.28.09
	LATTE	305301.03.31.09
	CARBON	305301.03.34.09
	BRUSHED ALUMINIUM	305301.03.01.09
	BLACK BRUSHED ALUMINIUM	305301.03.19.09

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS  
 TELECOM PLATES SOLD SEPARATELY  
 LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY  
 CALL FOR PRICING



**OASIS MINI HARDWIRED CONFIGURATIONS**

	<b>FINISH</b>	<b>PRODUCT NUMBER</b>
<b>OASIS MINI A</b>		
6 POWER, 2 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH (2) 108" CONDUIT WHIPS	SILVER	OAM-A-PC-S-HW
	BLACK	OAM-A-PC-B-HW
	WHITE	OAM-A-PC-GW-HW
	BRONZE	OAM-A-PC-Z-HW
	LATTE	OAM-A-PC-L-HW
	CARBON	OAM-A-PC-C-HW
	BRUSHED ALUMINIUM	OASIS-MINI-A-HW
	BLACK BRUSHED ALUMINIUM	OASIS-MINI-A-BL-HW
6 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH (2) 108" CONDUIT WHIPS	SILVER	OASIS-MINI-UT-AHW
	BLACK	OASIS-MINI-UT-ABLHW
	WHITE	OASIS-MINI-UT-AGWHW
	BRONZE	OASIS-MINI-UT-AZHW
	LATTE	OASIS-MINI-UT-ALHW
	CARBON	OASIS-MINI-UT-ACHW


<b>OASIS MINI B</b>		
4 POWER, 2 TELECOM PLATE KNOCKOUTS, HARDWIRED UNIT WITH 108" CONDUIT WHIP	SILVER	OAM-B-PC-S-HW
	BLACK	OAM-B-PC-B-HW
	WHITE	OAM-B-PC-GW-HW
	BRONZE	OAM-B-PC-Z-HW
	LATTE	OAM-B-PC-L-HW
	CARBON	OAM-B-PC-C-HW
	BRUSHED ALUMINIUM	OASIS-MINI-B-HW
	BLACK BRUSHED ALUMINIUM	OASIS-MINI-B-BL-HW
4 POWER, 2 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH (2) 108" CONDUIT WHIP	SILVER	OASIS-MINI-UT-BHW
	BLACK	OASIS-MINI-UT-BBLHW
	WHITE	OASIS-MINI-UT-BGWHW
	BRONZE	OASIS-MINI-UT-BZHW
	LATTE	OASIS-MINI-UT-BLHW
	CARBON	OASIS-MINI-UT-BCHW

<b>OASIS MINI USB</b>		
6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUT, HARDWIRED UNIT WITH (2) 108" STANDARD CORD WHIPS	SILVER	OAM-U-PC-S-108-HW
	BLACK	OAM-U-PC-B-108-HW
	WHITE	OAM-U-PC-GW-108-HW
	BRONZE	OAM-U-PC-Z-108-HW
	LATTE	OAM-U-PC-L-108-HW
	CARBON	OAM-U-PC-C-108-HW
	BRUSHED ALUMINIUM	OAM-U-AL-108-HW
	BLACK BRUSHED ALUMINIUM	OAM-U-BA-108-HW
6 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUTS, UNDERMOUNT HARDWIRED UNIT WITH (2) 108" WHIPS OR CONDUIT WHIPS	SILVER	OAM-UT-U-S-108HW
	BLACK	OAM-UT-U-B-108HW
	WHITE	OAM-UT-U-GW-108HW
	BRONZE	OAM-UT-U-Z-108HW
	LATTE	OAM-UT-U-L-108HW
	CARBON	OAM-UT-U-C-108HW

"BUILD YOUR OWN" INSERT CONFIGURATIONS AVAILABLE UPON REQUEST. CONTACT CUSTOMER SERVICE FOR CUSTOMIZATION DETAILS  
 TELECOM PLATES SOLD SEPARATELY  
 LID AND TRIM KITS FOR UT VERSIONS SOLD SEPARATELY  
 CALL FOR PRICING

**MOUNTING ACCESSORIES**


**OUTERPAN ACCESSORY (OPTIONAL):**




**A.**

DESCRIPTION	FINISH	PART NUMBER
A. Oasis™ Mini Outerpan - conceals underside of 15" Oasis Mini Trough	Silver	OASIS-MINI-PANS
	Black	OASIS-MINI-PANB

**OASIS™ MINI UT LID & TRIM PIVOT KIT (OPTIONAL):**



**B.**



**C.**

DESCRIPTION	FINISH	PART NUMBER
B. Trim Pivot Kit - components for glass lid assembly for Oasis™ Mini UT Versions Only (can be used alone, with custom lid, or provided lid options)	Brushed Aluminum	OASIS-UT-LPA*
C. Lid Pivot Kit - Set of 2 glass lids to be used with Trim Pivot Kit	Frosted Glass	OASISMINI-UTLG2*

\*BOTH PART NUMBERS ARE REQUIRED FOR COMPLETE OASIS™ MINI UT LID ASSEMBLY