



OASIS™ MINI

Streamlined Power For Conferencing Applications

The sophisticated 15-inch Oasis™ Mini supplies power, data, and charging technology where it's needed most. Available as an in-surface or under mount unit, seamless productivity-enhancing technology and critical cable management are accessible at your fingertips. Customizable power inserts accommodate even the most unique preferences, creating a collab-centric environment that is both aesthetically pleasing and productive.



APPLICATIONS

Meeting/Collaborative Spaces

Conferencing

TECHNICAL SPECIFICATIONS

POWER UNIT

15A/120V AC Receptacles

2.4A Reversible USB-A Charging Port & 60-Watt USB-C Power Delivery Port with GaN Technology

Customizable Telecom Plate Knockouts
(Available on Select Models; Plates Purchased Separately)

Standard Cord and Hardwired Whip Lengths: 108"
(Specify In Part Number)

15-Inch Table Trough

Fits Surface Thicknesses: 0.88" - 2.0"

Optional Outer Pan Accessory (Purchased Separately)

Power Inserts - UL Listed for US and Canada

UNDER MOUNT TRIM & LIP PIVOT KIT (For Under Mount Models Only)

Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly

Fits Standard Oasis™ Mini Surface Cutout
(See Install Guide for cutout dimensions)

Fits Surface Thicknesses: 0.75" - 2.0"

Set of 2 Frosted Glass Lids - Must Be Used with Trim Pivot Kit
(Purchased Separately)

Lid Thickness: 0.25"



MOUNTING OPTIONS

In-Surface

Under Mount

POWER INFEED OPTIONS

Corded

Hardwired

PURL™

DaisyLink™

FINISHING OPTIONS

STANDARD BODY FINISHES

- Silver
- Black (Smooth or Textured Finish)
- White

RECEPTACLE COLORS*

- Grey
- Black
- White

FINISH AREA



- Body
- Receptacle

PREMIUM BODY FINISHES*

- Bronze
- Latte
- Carbon
- Brushed Aluminum
- Black Brushed Aluminum

*Additional lead-time may be required for Premium Finishes.
Hardwire models available in black only.

Interested in a specialty finish? Contact us for details.




DIMENSIONS

MODEL	UNIT WIDTH (Y)	UNIT LENGTH (X1)
IN-SURFACE	9.0"	15.0"
UNDER MOUNT	9.57"	14.12"

Cut-out dimensions referenced on installation instructions

UNIT INSERT OPTIONS


Telecom Only




Power Only




Power + Telecom



3 Power + 1 USB



2 Power + 2 USB



USB Only



"Build your own" insert configurations available upon request.
Contact customer service for customization details

PRODUCT SPECIFICATION

Specify your product:		Step 1. Select base		Step 2. Select color		Step 3. Select cord/whip length or circuit	
UNITS:		BASE PART NUMBER:		COLOR OPTION PART NUMBER*		CORD LENGTH - CORDED	
CORDED MODELS		IN-SURFACE	UNDER MOUNT	-S Silver Body + Grey Receptacles -B Black Body (Textured) + Black Receptacles -GW White + White Receptacles -Z Bronze + Black Receptacles -L Latte + Black Receptacles -C Carbon + Black Receptacles		.09 9ft (Standard)	
4 POWER + 3 TELECOM	OAM-B-PC	OASIS-MINI-UT-B					
6 POWER + 2 TELECOM	OAM-A-PC	OASIS-MINI-UT-A					
3 POWER + 3 USB + 1 TELECOM	305300.05	305301.05					
5 POWER + 2 USB + 1 TELECOM	305300.04	305301.04					
6 POWER + 1 USB + 1 TELECOM	305300.03	305301.03					
PURL™ MODELS						CORD LENGTH - PURL	
4 POWER + 3 TELECOM	400374.02	400375.02	.27 Silver + Grey Receptacles .04 Black Body (Textured) + Black Receptacles .38 White + White Receptacles .28 Bronze + Black Receptacles .31 Latte + Black Receptacles .34 Carbon + Black Receptacles .46 Brushed Aluminum + Grey Receptacles .19 Black Brushed Aluminum + Black Receptacles		.01 1'		
6 POWER + 2 TELECOM	400374.01	400375.01			.02 2'		
3 POWER + 3 USB + 1 TELECOM	400374.05	400375.05			.03 3'		
5 POWER + 2 USB + 1 TELECOM	400374.04	400375.04			.04 4'		
6 POWER + 1 USB + 1 TELECOM	400374.03	400373.03			.05 5'		
HARDWIRED MODELS					.06 6'		
4 POWER + 3 TELECOM	OAS-A-PC	OASIS-UT-A			WHIP LENGTH - HARDWIRED MODELS		
6 POWER + 2 TELECOM	OAS-B-PC	OASIS-UT-B			-HW 9ft - Standard whip (Power + Telecom)		
3 POWER + 3 USB + 1 TELECOM	200215.05	200217.05			.09 9ft - Standard whip (Power +USB)		
5 POWER + 2 USB + 1 TELECOM	200215.04	200217.04					
6 POWER + 1 USB + 1 TELECOM	200215.03	200217.03					
				*Color options for Power and Telecom Only configurations in Corded and Hardwired models.			
				**Color options for Power and USB configurations in Corded and PURL models. Hardwire models with Power and USB available in black only.			
Step 4. Combine for product							
BASE + COLOR + CORD = #####.##.##.##							
EXAMPLE 1: 400372.04 + .19 + .09 = 400372.04.19.09				EXAMPLE 2: OASIS-UT-A + -C + -HW = OASIS-UT-A-C-HW			