

DEKKO POWER

COVE™

VERSATILE. ADAPTABLE. CAPABLE.

Deliver spill-resistant power, USB A & C charging, and data capabilities to the places you need them most. Sleek in proportion, Cove's unmatched mounting capabilities provide seamless integration to nearly any surface. And with modern, easy-to-install options, you can provide unrelenting connectivity that doesn't interfere with design or time.

APPLICATIONS

Work Surfaces
Training Tables
Ancillary Furniture
Soft-Sided Seating

TECHNICAL SPECIFICATIONS

15A/120V AC Tamper Resistant Receptacles

Cove™ & Cove™ Micro: (1) 2.4A Reversible USB-A Charging Port & (1) 60-Watt USB-C Power Delivery Port with GaN Technology *(Select Models)*

Convenience Outlets *(Available on Select Models)*

Standard Cord and Hardwire Whip Length:
108" - Corded Units Equipped with 90-Degree Plug

Customizable Telecom Plate Knockout *(Available on Select Models; Plate Purchased Separately)*


Clamp and Screw-Mounting Capabilities

Fits Surface Thicknesses: 0.75" - 1.25"

Optional Mounting Bracket for Surface Thicknesses
Up-to 1.50"

Table Cutout Varies by Configuration - See Install Sheet
for Details

UL Listed for US



MOUNTING OPTIONS

In-Surface
Under Mount *(Cove Micro with Extron mounting hardware; sold separately)*

POWER INFEED OPTIONS

Corded
Hardwire
DaisyLink™ *(Select Models)*

FINISHING OPTIONS

COVE FACEPLATE FINISHES

- Silver
- Black
- White
- Bronze*
- Latte*
- Carbon*

COVE MICRO BODY FINISHES

- Black (Textured Finish)
- White

FINISH AREA

- Body/Faceplate
- Receptacles

RECEPTACLE COLORS

- Black
- White


*Additional lead-time may be required for Premium Finishes.

Interested in a specialty finish? Contact us for details.



DIMENSIONS*

MODEL	DESCRIPTION/CONFIGURATION	UNIT WIDTH (Y)	UNIT DEPTH (Z)	UNIT LENGTH (X)
COVE	USB A/C	2.50"	3.88"	5.00"
	USB A/C + TELECOM	2.50"	3.88"	9.00"
	USB A/C + 2 CONVENIENCE OUTLETS	2.50"	3.88"	5.00"
	1 POWER	2.50"	3.12"	3.75"
	1 POWER + USB A/C	2.50"	3.88"	5.75"
	1 POWER + USB A/C + TELECOM	2.50"	3.88"	9.50"
	1 POWER + USB A/C + 2 CONVENIENCE OUTLETS	2.50"	3.88"	5.75"
	2 POWER	2.50"	3.12"	5.00"
	2 POWER + 1 CONVENIENCE OUTLET	2.50"	3.88"	5.75"
	2 POWER + USB A/C	2.50"	3.88"	7.25"
	2 POWER + USB A/C + TELECOM	2.50"	3.88"	11.00"
	2 POWER + USB A/C + 2 CONVENIENCE OUTLETS	2.50"	3.88"	7.25"
	3 POWER	2.50"	3.12"	6.25"
	3 POWER + TELECOM	2.50"	3.88"	10.00"
	3 POWER + USB A/C	2.50"	3.88"	8.50"
	3 POWER + USB A/C + TELECOM	2.50"	3.88"	12.25"
	3 POWER + USB A/C + 1 CONVENIENCE OUTLET	2.50"	3.88"	8.50"
	3 POWER + USB A/C + 2 CONVENIENCE OUTLETS	2.50"	3.88"	8.50"
	4 POWER	2.50"	3.12"	7.75"
	4 POWER + TELECOM	2.50"	3.88"	11.50"
COVE MICRO	4 POWER + USB A/C	2.50"	3.88"	10.00"
	4 POWER + USB A/C + TELECOM	2.50"	3.88"	13.75"
	5 POWER + USB A/C	2.50"	3.88"	11.50"
	5 POWER + USB A/C + TELECOM	2.50"	3.88"	15.50"
	5 POWER + USB A/C + 1 CONVENIENCE OUTLET	2.50"	3.88"	11.50"
	USB	1.47"	4.02"	3.50"
	2 POWER	1.35"	3.02"	3.50"
	2 POWER + USB	1.47"	4.02"	7.08"
	4 POWER	1.35"	3.02"	7.08"
	4 POWER + USB	1.47"	4.02"	10.66"


Cove™ / Cove™ 60
Finish Area




Cove™ Micro
Finish Area



Cove™ with Telecom



Cove™ with
Convenience Outlets



Cove™ Micro

Cove Power Configurations:

Power configurations vary by model.

USB A/C



USB A/C + TELECOM



1 POWER + USB A/C



1 POWER + USB A/C + TELECOM




2 POWER



2 POWER + TELECOM



2 POWER + USB A/C




2 POWER + USB A/C + TELECOM



3 POWER



3 POWER + TELECOM




3 POWER + USB A/C




3 POWER + USB A/C + TELECOM



4 POWER



4 POWER + TELECOM



4 POWER + USB A/C



4 POWER + USB A/C + TELECOM



5 POWER + USB A/C



5 POWER + USB A/C + TELECOM



*Dimensions listed do not include mount/bracket. Detailed dimensions including mounting type referenced on installation instructions.

PRODUCT SPECIFICATION

Specify your product:	Step 1. Select base part number			Step 2. Select color		Step 3. Select cord length or circuit	
COVE INSURFACE CLAMP MOUNT MODELS*	CORDED	HARDWIRED	DAISYLINK	COLOR PART NUMBER¹		CORDED MODELS	
USB A/C	305236.03.	200158.03	306005.03	.06	Silver + Grey Receptacles	.09	9' (Standard - USB Models)
USB A/C + TELECOM	305236.05		306005.05	.47	Silver + Black Receptacles	-108	9' (Standard - Power Only Models)
USB A/C + 2 CONVENIENCE OUTLETS	305236.31		306005.31	.04	Black (Textured) + Black Receptacles		
1 POWER			COV-1-4-1	.05	White + White Receptacles		
1 POWER + USB A/C	305237.03	200159.03	306006.03	.07	Bronze + Black Receptacles		
1 POWER + USB A/C + TELECOM	305237.05		306006.05	.31	Latte + Black Receptacles		
1 POWER + USB A/C + 2 CONVENIENCE OUTLETS	305237.31		306006.31	.34	Carbon + Black Receptacles		
2 POWER	COV-2	COV-2	COV-2-4-1	.01	Brushed Aluminum + Grey Receptacles		
2 POWER + 1 CONVENIENCE OUTLET	COV-21						
2 POWER + USB A/C	305238.03	200160.03	306007.03				
2 POWER + USB A/C + TELECOM	305238.05		306007.05				
2 POWER + USB A/C + 2 CONVENIENCE OUTLETS	305238.31		306007.31				
3 POWER	COV-3		COV-3-4-1				
3 POWER + TELECOM	COV-3-D			-B	Black Faceplate/Black Receptacles		
3 POWER + USB A/C	305239.03	200161.03	306008.03	-GW	White Faceplate/White Receptacles		
3 POWER + USB A/C + TELECOM	305239.05		306008.05	-S	Silver Faceplate/Black Receptacles		
3 POWER + USB A/C + 1 CONVENIENCE OUTLET	305239.17	200161.17	306008.17	-Z	Bronze Faceplate/Black Receptacles		
3 POWER + USB A/C + 2 CONVENIENCE OUTLETS	305239.31		306008.31	-L	Latte Faceplate/White Receptacles		
4 POWER	COV-4		COV-4-4-1	-C	Carbon Faceplate/Black Receptacles		
4 POWER + TELECOM	COV-4-D						
4 POWER + USB A/C	305240.03	200162.03	306009.03				
4 POWER + USB A/C + TELECOM	305240.05		306009.05				
5 POWER + USB A/C	305241.03	200163.03	306010.03				
5 POWER + USB A/C + TELECOM	305241.05		306010.05				
5 POWER + USB A/C + 1 CONVENIENCE OUTLET	305241.17						
COVE INSURFACE SCREW MOUNT MODELS*							
USB A/C	305236.07		306005.07				
1 POWER + USB A/C	305237.07		306006.07				
2 POWER	COV-2-S		COV-2-4-1-S				
2 POWER + USB A/C	305238.07		306007.07				
2 POWER + USB A/C + 2 CONVENIENCE OUTLETS	305238.35		306007.35				
3 POWER + USB A/C	305239.07		306008.07				
5 POWER + USB A/C	305241.07						
COVE MICRO MODELS*							
USB	305230.01	200153.01	306000.01				
USB + 7" DAISYLINK WHIP			306038.01				
2 POWER	305231.01	200154.01	306001.01				
2 POWER + 7" DAISYLINK WHIP			306039.01				
2 POWER ROTATED	305231.05	200154.05	306001.05				
2 POWER ROTATED + 7" DAISYLINK WHIP			306039.05				
2 POWER + USB	305232.01	200155.01	306002.01				
2 POWER + USB + 7" DAISYLINK WHIP			306040.01				
4 POWER	305233.01	200156.01	306003.01.				
4 POWER + 7" DAISYLINK WHIP			306041.01				
4 POWER + USB	305234.01	200157.01	306004.01				
4 POWER + USB + 7" DAISYLINK WHIP			306042.01				
ACCESSORIES	ACCESSORIES PART NUMBERS						
MOUNTING BRACKET FOR TABLE UP TO 1.5" THICK	COV-1.5-BRKT						
COVE FACEPLATE WITH TELECOM PLATE KNOCKOUT FOR TABLE UP TO 1.5" THICK	COV-D-S-						

¹ Color options for all models equipped with USB A&C.

² Color options for all power-only models