

OASIS™

Streamlined Power For Conferencing Applications

Oasis™ Series supplies a centralized location for meeting participants to easily access productivity-enhancing technology from directly within the conference table. The adaptable 30-inch table trough manages wires and cords within the trough and conceals them with a retractable two-panel closure lid or Trim Pivot Kit Lid. Available as an in-surface or under table (UT) unit, Oasis™ delivers versatile mounting capabilities and curated power options for all collaborative needs.



APPLICATIONS

Meeting/Collaborative Spaces

Conferencing

TECHNICAL SPECIFICATIONS

POWER UNIT

15A/120V AC Receptacles

2.4A Reversible USB-A Charging Port & 60-Watt USB-C Power Delivery Port with GaN Technology

Customizable Telecom Plate Knockouts
(Available on Select Models; Plates Purchased Separately)

Standard Cord and Hardwired Whip Lengths: 108"
(Specify In Part Number)

30-Inch Table Trough

Fits Surface Thicknesses: 0.88" - 2.0"

Optional Outer Pan Accessory (Purchased Separately)

Power Inserts - UL Listed for US and Canada

UNDER MOUNT TRIM & LIP PIVOT KIT (For Under Mount Models Only)

Trim Pivot Kit Includes Brushed Aluminum Components for Lid Assembly

Fits Standard Oasis™ Surface Cutout (See Install Guide for cutout dimensions)

Fits Surface Thicknesses: 0.75" - 2.0"

Set of 2 Frosted Glass Lids - Must Be Used with Trim Pivot Kit (Purchased Separately)

Lid Thickness: 0.25"



MOUNTING OPTIONS

In-Surface

Under Mount

POWER INFEED OPTIONS

Corded

Hardwired

PURL™

FINISHING OPTIONS

STANDARD BODY FINISHES

- Silver
- Black (Smooth or Textured Finish)
- White

RECEPTACLE COLORS*

- Grey
- Black
- White

FINISH AREA

- Body
- Receptacle

PREMIUM BODY FINISHES*

- Bronze
- Latte
- Carbon
- Brushed Aluminum
- Black Brushed Aluminum

*Additional lead-time may be required for Premium Finishes.
Hardwire models available in black only.

Interested in a specialty finish? Contact us for details.


DIMENSIONS

MODEL	UNIT WIDTH (Y)	UNIT LENGTH (X1)
IN-SURFACE	9.0"	30.0"
UNDER MOUNT	9.57"	29.12"

Cut-out dimensions referenced on installation instructions

UNIT INSERT OPTIONS


Telecom Only




Power Only




Power + Telecom



3 Power + 1 USB




2 Power + 2 USB



USB Only



"Build your own" insert configurations available upon request.
Contact customer service for customization details



PRODUCT SPECIFICATION

Specify your product:		Step 1. Select base		Step 2. Select color		Step 3. Select cord/whip length or circuit	
UNITS:		BASE PART NUMBER:		COLOR OPTION PART NUMBER*		CORD LENGTH - CORDED	
CORDED MODELS		IN-SURFACE	UNDER MOUNT	-S Silver Body + Gry Receptacles		.09 9ft (Standard)	
8 POWER + 6 TELECOM		OAS-A-PC	OASIS-UT-A	-B Black Body (Textured) + Black Receptacles			
12 POWER + 4 TELECOM		OAS-B-PC	OASIS-UT-B	-GW White + White Receptacles			
6 POWER + 6 USB + 2 TELECOM		305298.05	305299.05	-Z Bronze + Black Receptacles			
10 POWER + 4 USB + 2 TELECOM		305298.04	305299.04	-L Latte + Black Receptacles			
12 POWER + 2 USB + 2 TELECOM		305298.03	305299.03	-C Carbon + Black Receptacles			
PURL™ MODELS				COLOR OPTION PART NUMBER**		CORD LENGTH - PURL	
8 POWER + 6 TELECOM		400372.01	400373.01	.27 Silver + Grey Receptacles		.01 1’	
12 POWER + 4 TELECOM		400372.02	400373.02	.04 Black Body (Textured) + Black Receptacles		.02 2’	
6 POWER + 6 USB + 2 TELECOM		400372.05	400373.05	.38 White + White Receptacles		.03 3’	
10 POWER + 4 USB + 2 TELECOM		400372.04	400373.04	.28 Bronze + Black Receptacles		.04 4’	
12 POWER + 2 USB + 2 TELECOM		400372.03	400373.03	.31 Latte + Black Receptacles		.05 5’	
				.34 Carbon + Black Receptacles		.06 6’	
HARDWIRED MODELS				.46 Brushed Aluminum + Grey Receptacles		WHIP LENGTH - HARDWIRED MODELS	
8 POWER + 6 TELECOM		OAS-A-PC	OASIS-UT-A	.19 Black Brushed Aluminum + Black Receptacles		-HW 9ft - Standard whip (Power + Telecom)	
12 POWER + 4 TELECOM		OAS-B-PC	OASIS-UT-B			.09 9ft - Standard whip (Power +USB)	
6 POWER + 6 USB + 2 TELECOM		200214.05	200216.05				
10 POWER + 4 USB + 2 TELECOM		200214.04	200216.04				
12 POWER + 2 USB + 2 TELECOM		200214.03	200216.03				
				*Color options for Power and Telecom Only configurations in Coded and Hardwired models.			
				**Color options for Power and USB configurations in Coded and PURL models. Hardwire models with Power and USB available in black only.			
Step 4. Combine for product							
BASE + COLOR + CORD = #####.##.##.##		EXAMPLE 1: 400372.04 + .19 + .09 = 400372.04.19.09		EXAMPLE 2: OASIS-UT-A + -C + -HW = OASIS-UT-A-C-HW			